












Pattern No.: 0810345 - Yarn Quality Kragen

A	B	C	D	E	D	C	B	A
				8			8A - - Residual yarn - -	< Friction <
				7				
				6			6A 1x 40 den LL-40 75% PA, 25% EA ESIDA	<
				5				
				4			4A, OFFWHITE 3x Nm 30/2 Soft-luster 100% WV Xinao	<<< Friction <
				3				
	>	2A - - Comb thread - -		2				
	>	1A - - Draw separation thread - -		1				


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track








Pattern No.: 0810345 - Yarn Quality V-Teil(e) links

A	B	C	D	E	D	C	B	A		
				8				8A - - Residual yarn - -	<	Friction <
				7						
				6						
Friction >	>	5A, BLACK 1x Nm 2.8 Winter Top 100% CO Filmar		5						
				4				4A, OFFWHITE 3x Nm 30/2 Soft-luster 100% WV Xinao	<<<	Friction <
				3						
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track







Pattern No.: 0810345 - Yarn Quality V-Teil(e) rechts

A	B	C	D	E	D	C	B	A		
				8				8A - - Residual yarn - -	<	Friction <
				7						
				6						
				5				5A, BLACK 1x Nm 2.8 Winter Top 100% CO Filmar	<	Friction <
				4				4A, OFFWHITE 3x Nm 30/2 Soft-luster 100% WV Xinao	<<<	Friction <
				3						
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track









Pattern No.: 0810345 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - - Residual yarn - -	<	Friction <
				7						
				6						
				5						
				4				4A, OFFWHITE 3x Nm 30/2 Soft-luster 100% WV Xinao	<<<	Friction <
				3						
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0810345 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A		
				8				8A - - Residual yarn - -	<	Friction <
				7						
Friction >	>>>	6A, OFFWHITE 3x Nm 30/2 Soft-luster 100% WV Xinao		6						
				5				5A, BLACK 1x Nm 2.8 Winter Top 100% CO Filmar	<	Friction <
				4				4A, OFFWHITE 3x Nm 30/2 Soft-luster 100% WV Xinao	<<<	Friction <
				3						
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

