

Pattern No.: 0310323 / F347IF08 - Yarn Quality V-Teil(e) links

A	B	C	D	E	D	C	B	A
				8				
	>>>	7A 3x 30/2 Nm Perla 80% WV, 10% WS, 10% SE Grignasco			7			
	>>>	6A 3x 30/2 Nm Perla 80% WV, 10% WS, 10% SE Grignasco			6			
				5		5A 3x 44/3 Nm Ribes 80% WV, 20% PC Schoeller	<<<	
	>>>	4A 3x 44/3 Nm Ribes 80% WV, 20% PC Schoeller			4			
				3				
	>	2A - Comb thread -		2		2B 3x 30/2 Nm Perla 80% WV, 10% WS, 10% SE Grignasco	<<<	
	>	1A - Draw separation thread -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2

Pattern No.: 0310323 / F347IF08 - Yarn Quality V-Teil(e) rechts

A	B	C			D		E		D		C	B	A
							8						
							7						
							6						
							5				5A 3x 44/3 Nm Ribes 80% WV, 20% PC Schoeller	<<<	
	>>>	4A 3x 44/3 Nm Ribes 80% WV, 20% PC Schoeller					4						
							3				3A 3x 30/2 Nm Perla 80% WV, 10% WS, 10% SE Grignasco	<<<	
	>	2A - Comb thread -					2				2B 3x 30/2 Nm Perla 80% WV, 10% WS, 10% SE Grignasco	<<<	
	>	1A - Draw separation thread -					1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2

Pattern No.: 0310323 / F347IF08 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A
				8				
	>>>	7A 3x 30/2 Nm Perla 80% WV, 10% WS, 10% SE Grignasco			7			
	>>>	6A 3x 30/2 Nm Perla 80% WV, 10% WS, 10% SE Grignasco			6			
				5		5A 3x 44/3 Nm Ribes 80% WV, 20% PC Schoeller	<<<	
	>>>	4A 3x 44/3 Nm Ribes 80% WV, 20% PC Schoeller		4		4B 3x 44/3 Nm Ribes 80% WV, 20% PC Schoeller	<<<	
				3		3A 3x 30/2 Nm Perla 80% WV, 10% WS, 10% SE Grignasco	<<<	
	>	2A - Comb thread -		2		2B 3x 30/2 Nm Perla 80% WV, 10% WS, 10% SE Grignasco	<<<	
	>	1A - Draw separation thread -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2

Pattern No.: 0310323 / F347IF08 - Yarn Quality Ärmel

A	B	C			D		E		D		C	B	A
							8						
	>>>	7A 3x 30/2 Nm Perla 80% WV, 10% WS, 10% SE Grignasco					7						
							6						
							5						
							4				4A 3x 44/3 Nm Ribes 80% WV, 20% PC Schoeller	<<<	
							3						
	>	2A - Comb thread -					2				2B 3x 30/2 Nm Perla 80% WV, 10% WS, 10% SE Grignasco	<<<	
	>	1A - Draw separation thread -					1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2