

Pattern No.: 0510499 - Yarn Quality Zubehör

A	B	C			D		E		D			C	B	A
							8					8A - Residual yarn -	<	Friction <
							7							
							6					6A, BROWN 2x 50/1 Nm G530 83% AC, 17% PES Oke	<<	Friction <
	>	5A 1x 352 den CS26955 Elastic thread 89% PES, 11% EA Filix SHG					5							
							4					4A, RATTAN 1x 30/2 Ne Q7-06 50% CO, 50% MD Ningbo Qiaotaixing	<	Friction <
							3							
	>	2A - Comb thread -					2							
							1							

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0510499 - Yarn Quality V-Teil(e) links

A	B	C		D		E	D		C	B	A
						8			8A - Residual yarn -	<	Friction <
Friction >	>>	7A, BROWN 2x 50/1 Nm G530 83% AC, 17% PES Oke				7					
						6			6A, BROWN 2x 50/1 Nm G530 83% AC, 17% PES Oke	<<	Friction <
Friction >	>	5A, RATTAN 1x 30/2 Ne Q7-06 50% CO, 50% MD Ningbo Qiaotaixing				5					
						4			4A, RATTAN 1x 30/2 Ne Q7-06 50% CO, 50% MD Ningbo Qiaotaixing	<	Friction <
						3					
	>	2A - Comb thread -				2					
						1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0510499 - Yarn Quality V-Teil(e) rechts

A	B	C	D	E	D	C	B	A
Friction >	>	8A - Residual yarn -			8			
Friction >	>>	7A, BROWN 2x 50/1 Nm G530 83% AC, 17% PES Oke			7			
					6	6A, BROWN 2x 50/1 Nm G530 83% AC, 17% PES Oke	<<	Friction <
Friction >	>	5A, RATTAN 1x 30/2 Ne Q7-06 50% CO, 50% MD Ningbo Qiaotaixing			5			
					4	4A, RATTAN 1x 30/2 Ne Q7-06 50% CO, 50% MD Ningbo Qiaotaixing	<	Friction <
					3			
	>	2A - Comb thread -			2			
					1			

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.



Plating_w_2->1



Plating_w_2->2