

Pattern No.: 0910074 - Yarn Quality V-Teil(e) links

A	B	C		D		E	D		C	B	A
						8			8A - Residual yarn -	<	Friction <
						7			7A, GRAPHITE 2x Nm 19 Felt 57% WV, 25% WA, 17% PA, 1% EA Lineapiù	<<	Friction <
						6			6A, ATLANTIC 2x Nm 19 Felt 57% WV, 25% WA, 17% PA, 1% EA Lineapiù	<<	Friction <
						5			5A, GRAPHITE 2x Nm 19 Felt 57% WV, 25% WA, 17% PA, 1% EA Lineapiù	<<	Friction <
						4			4A, ATLANTIC 2x Nm 19 Felt 57% WV, 25% WA, 17% PA, 1% EA Lineapiù	<<	Friction <
						3					
Friction >	>	2A - Comb thread -				2					
Friction >	>	1A - Draw separation thread -				1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0910074 - Yarn Quality V-Teil(e) rechts

A	B	C		D		E	D		C	B	A	
						8				8A - Residual yarn -	<	Friction <
						7				7A, GRAPHITE 2x Nm 19 Felt 57% WV, 25% WA, 17% PA, 1% EA Lineapiù	<<	Friction <
						6				6A, ATLANTIC 2x Nm 19 Felt 57% WV, 25% WA, 17% PA, 1% EA Lineapiù	<<	Friction <
						5				5A, GRAPHITE 2x Nm 19 Felt 57% WV, 25% WA, 17% PA, 1% EA Lineapiù	<<	Friction <
						4				4A, ATLANTIC 2x Nm 19 Felt 57% WV, 25% WA, 17% PA, 1% EA Lineapiù	<<	Friction <
						3						
Friction >	>	2A - Comb thread -				2						
Friction >	>	1A - Draw separation thread -				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.



Plating_w_2->1



Plating_w_2->2

Pattern No.: 0910074 - Yarn Quality R-Teil(e)

A	B	C		D		E	D		C	B	A		
						8					8A - Residual yarn -	<	Friction <
						7							
						6					6A, ATLANTIC 2x Nm 19 Felt 57% WV, 25% WA, 17% PA, 1% EA Lineapiù	<<	Friction <
						5					5A, GRAPHITE 2x Nm 19 Felt 57% WV, 25% WA, 17% PA, 1% EA Lineapiù	<<	Friction <
						4					4A, ATLANTIC 2x Nm 19 Felt 57% WV, 25% WA, 17% PA, 1% EA Lineapiù	<<	Friction <
						3							
Friction >	>	2A - Comb thread -				2							
Friction >	>	1A - Draw separation thread -				1							

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0910074 - Yarn Quality Ärmel

A	B	C		D		E	D		C	B	A		
						8					8A - Residual yarn -	<	Friction <
						7							
						6					6A, ATLANTIC 2x Nm 19 Felt 57% WV, 25% WA, 17% PA, 1% EA Lineapiù	<<	Friction <
						5					5A, GRAPHITE 2x Nm 19 Felt 57% WV, 25% WA, 17% PA, 1% EA Lineapiù	<<	Friction <
						4					4A, ATLANTIC 2x Nm 19 Felt 57% WV, 25% WA, 17% PA, 1% EA Lineapiù	<<	Friction <
						3							
Friction >	>	2A - Comb thread -				2							
Friction >	>	1A - Draw separation thread -				1							

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2