

Pattern No.: 0910350 - Yarn Quality Kragen_1

A	B	C			D		E		D		C	B	A
							8 				8A - Protection thread -	<	
	>	7A - Residual yarn -					7						
							6						
							5						
							4 				4A 1x Nm 27 Ironcot 80% CO, 20% ME Lineapiù	<	Friction <
							3						
	>	2A - Comb thread -					2						
	>	1A - Draw separation thread -					1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal

 Normal-ADF

 Intarsia type 1

 Intarsia type 2

 Plating Yf. N

 Double-Arm Plating Yf.

 Plating_w_2->1

 Plating_w_2->2

Pattern No.: 0910350 - Yarn Quality V-Teil(e) links

A	B	C			D		E		D		C	B	A
							8 				8A - Protection thread -	<	
	>	7A - Protection thread -					7						
	>	6A 1x Nm 27 Ironcot 80% CO, 20% ME Lineapiù					6						
Friction >	>	5A 1x Nm 27 Ironcot 80% CO, 20% ME Lineapiù					5						
							4 				4A 1x Nm 27 Ironcot 80% CO, 20% ME Lineapiù	<	Friction <
							3						
	>	2A - Comb thread -					2						
	>	1A - Draw separation thread -					1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal

 Normal-ADF

 Intarsia type 1

 Intarsia type 2

 Plating Yf. N

 Double-Arm Plating Yf.

 Plating_w_2->1

 Plating_w_2->2

Pattern No.: 0910350 - Yarn Quality V-Teil(e) rechts

A	B	C			D		E		D			C	B	A
							8 					8A - Protection thread -	<	
	>	7A - Protection thread -					7							
							6							
Friction >	>	5A 1x Nm 27 Ironcot 80% CO, 20% ME Lineapiù					5							
							4 					4A 1x Nm 27 Ironcot 80% CO, 20% ME Lineapiù	<	Friction <
							3							
	>	2A - Comb thread -					2							
	>	1A - Draw separation thread -					1							

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Normal-ADF
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0910350 - Yarn Quality Ärmel

A	B	C			D		E		D			C	B	A
							8					8A - Protection thread -	<	
							7							
							6							
Friction >	>	5A 1x Nm 27 Ironcot 80% CO, 20% ME Lineapiù					5							
							4					4A 1x Nm 27 Ironcot 80% CO, 20% ME Lineapiù	<	Friction <
							3							
	>	2A - Comb thread -					2							
	>	1A - Draw separation thread -					1							

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal

 Normal-ADF

 Intarsia type 1

 Intarsia type 2

 Plating Yf. N

 Double-Arm Plating Yf.

 Plating_w_2->1

 Plating_w_2->2