

Pattern No.: 0910333 - Yarn Quality Kragen_1

A	B	C		D		E	D		C	B	A
						8			8A - - Residual yarn - -	<	Friction <
						7					
						6					
						5					
						4					
						3			3A, CAPPUCCINO 2x Nm 3.5 Cashfeel 100% WV Xinao	<<	Friction <
	>	2A - - Comb thread - -				2					
Friction >	>	1A - - Draw separation thread - -				1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0910333 - Yarn Quality V-Teil(e)

A	B	C		D	E	D		C	B	A
					8			8A - - Residual yarn - -	<	Friction <
Friction >	>	7A - - Residual yarn - -			7					
Friction >	>	6A, LIGHT BLUE 1x Nm 4.8 YX-R48W45A2-T 45% WV, 30% PC, 20% WP, 5% WM Fuxing 			6					
Friction >	>>	5A, CAPPUCCINO 2x Nm 3.5 Cashfeel 100% WV Xinao			5					
					4			4A, LIGHT BLUE 1x Nm 4.8 YX-R48W45A2-T 45% WV, 30% PC, 20% WP, 5% WM Fuxing 	<	Friction <
					3			3A, CAPPUCCINO 2x Nm 3.5 Cashfeel 100% WV Xinao	<<	Friction <
	>	2A - - Comb thread - -			2					
Friction >	>	1A - - Draw separation thread - -			1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.



Plating_w_2->1



Plating_w_2->2

Pattern No.: 0910333 - Yarn Quality R-Teil(e)

A	B	C		D		E	D		C	B	A
						8			8A - - Residual yarn - -	<	Friction <
						7					
						6					
						5					
						4			4A, LIGHT BLUE 1x Nm 4.8 YX-R48W45A2-T 45% WV, 30% PC, 20% WP, 5% WM Fuxing 	<	Friction <
						3			3A, CAPPUCCINO 2x Nm 3.5 Cashfeel 100% WV Xinao	<<	Friction <
	>	2A - - Comb thread - -				2					
Friction >	>	1A - - Draw separation thread - -				1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0910333 - Yarn Quality Ärmel links

A	B	C		D		E	D		C	B	A
						8			8A - - Residual yarn - -	<	Friction <
						7					
						6					
						5					
						4			4A, LIGHT BLUE 1x Nm 4.8 CFX-R48W45A2-T 45% WV, 30% PC, 20% WP, 5% WM Fuxing	<	Friction <
						3			3A, CAPPUCCINO 2x Nm 3.5 Cashfeel 100% WV Xinao	<<	Friction <
	>	2A - - Comb thread - -				2					
Friction >	>	1A - - Draw separation thread - -				1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0910333 - Yarn Quality Ärmel rechts

A	B	C	D	E	D	C	B	A
				8		8A - - Residual yarn - -	<	Friction <
				7				
				6				
				5				
				4		4A, LIGHT BLUE 1x Nm 4.8 YX-R48W45A2-T 45% WV, 30% PC, 20% WP, 5% WM Fuxing	<	Friction <
				3		3A, CAPPUCCINO 2x Nm 3.5 Cashfeel 100% WV Xinao	<<	Friction <
	>	2A - - Comb thread - -		2				
Friction >	>	1A - - Draw separation thread - -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2