

Pattern No.: 1910070 - Yarn Quality Kragen_1

A	B	C	D	E	D	C	B	A
				8			8A 2x Nm 43/2 UK 100% WV Zegna Baruffa	<< Friction <
				7			7A 1x Nm 46 Image 80% VI, 20%PES Lineapiù	< Friction <
				6			6A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				5			5A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				4				
				3				
				2			2A 1x Comb thread -	< Friction <
				1			1A 1x Draw separation thread -	<

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Normal-ADF
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 1910070 - Yarn Quality Zutaten_1

A	B	C	D	E	D	C	B	A
				8			8A 2x Nm 43/2 UK 100% WV Zegna Baruffa	<< Friction <
				7			7A 1x Nm 46 Image 80% VI, 20%PES Lineapiù	< Friction <
				6			6A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				5			5A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				4				
				3				
				2			2A 1x Comb thread -	< Friction <
				1			1A 1x Draw separation thread -	<

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal

 Normal-ADF

 Intarsia type 1

 Intarsia type 2

 Plating Yf. N

 Double-Arm Plating Yf.

 Plating_w_2->1

 Plating_w_2->2

Pattern No.: 1910070 - Yarn Quality Zutaten_2

A	B	C	D	E	D	C	B	A
				8			8A 2x Nm 43/2 UK 100% WV Zegna Baruffa	<< Friction <
				7			7A 1x Nm 46 Image 80% VI, 20%PES Lineapiù	< Friction <
				6			6A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				5			5A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				4				
				3				
				2			2A 1x Comb thread -	< Friction <
				1			1A 1x Draw separation thread -	<

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Normal-ADF
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 1910070 - Yarn Quality V-Teil(e) links

A	B	C	D	E	D	C	B	A
				8			8A 2x Nm 43/2 UK 100% WV Zegna Baruffa	<< Friction <
				7			7A 1x Nm 46 Image 80% VI, 20%PES Lineapiù	< Friction <
				6			6A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				5			5A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				4			4A 1x Nm 15 Camelot 58% WM, 32%PA, 10% WV Lineapiù	< Friction <
				3			3A 1x Nm 15 Camelot 58% WM, 32%PA, 10% WV Lineapiù	< Friction <
				2			2A 1x Comb thread -	< Friction <
				1			1A 1x Draw separation thread -	<

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Normal-ADF
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 1910070 - Yarn Quality V-Teil(e) rechts

A	B	C	D	E	D	C	B	A
				8			8A 2x Nm 43/2 UK 100% WV Zegna Baruffa	<< Friction <
				7			7A 1x Nm 46 Image 80% VI, 20%PES Lineapiù	< Friction <
				6			6A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				5			5A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				4			4A 1x Nm 15 Camelot 58% WM, 32%PA, 10% WV Lineapiù	< Friction <
				3			3A 1x Nm 15 Camelot 58% WM, 32%PA, 10% WV Lineapiù	< Friction <
				2			2A 1x Comb thread -	< Friction <
				1			1A 1x Draw separation thread -	<

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Normal-ADF



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.



Plating_w_2->1



Plating_w_2->2

Pattern No.: 1910070 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A
				8			8A 2x Nm 43/2 UK 100% WV Zegna Baruffa	<< Friction <
				7			7A 1x Nm 46 Image 80% VI, 20%PES Lineapiù	< Friction <
				6			6A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				5			5A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				4			4A 1x Nm 15 Camelot 58% WM, 32%PA, 10% WV Lineapiù	< Friction <
				3			3A 1x Nm 15 Camelot 58% WM, 32%PA, 10% WV Lineapiù	< Friction <
				2			2A 1x Comb thread -	< Friction <
				1			1A 1x Draw separation thread -	<

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Normal-ADF



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.



Plating_w_2->1



Plating_w_2->2

Pattern No.: 1910070 - Yarn Quality Ärmel links 1

A	B	C	D	E	D	C	B	A
				8			8A 2x Nm 43/2 UK 100% WV Zegna Baruffa	<< Friction <
				7			7A 1x Nm 46 Image 80% VI, 20%PES Lineapiù	< Friction <
				6			6A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				5			5A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				4			4A 1x Nm 15 Camelot 58% WM, 32%PA, 10% WV Lineapiù	< Friction <
				3			3A 1x Nm 15 Camelot 58% WM, 32%PA, 10% WV Lineapiù	< Friction <
				2			2A 1x Comb thread -	< Friction <
				1			1A 1x Draw separation thread -	<

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Normal-ADF
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 1910070 - Yarn Quality Ärmel rechts 1

A	B	C	D	E	D	C	B	A
				8			8A 2x Nm 43/2 UK 100% WV Zegna Baruffa	<< Friction <
				7			7A 1x Nm 46 Image 80% VI,2 0%PES Lineapiù	< Friction <
				6			6A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				5			5A 1x Nm 43/2 UK 100% WV Zegna Baruffa	< Friction <
				4			4A 1x Nm 15 Camelot 58% WM, 32%PA, 10% WV Lineapiù	< Friction <
				3			3A 1x Nm 15 Camelot 58% WM, 32%PA, 10% WV Lineapiù	< Friction <
				2			2A 1x Comb thread -	< Friction <
				1			1A 1x Draw separation thread -	<

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Normal-ADF
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 1910070

Other Requirements:

do not wash
