

Pattern No.: 0910349 - Yarn Quality V-Teil(e) links

A	B	C						D	E	D		C	B	A
							8					8A - Residual yarn -	<	Friction <
							7							
							6							
							5							
							4							
							3					3A 2x Nm 28/4 Osiride 100% CO Filmar	<<	Friction <
Friction >	>	2A - Comb thread -					2					2B 1x Nm 28/4 Osiride 100% CO Filmar	<	Friction <
Friction >	>	1A - Draw separation thread -					1							

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0910349 - Yarn Quality V-Teil(e) rechts

A	B	C		D		E	D		C	B	A
						8			8A - Residual yarn -	<	Friction <
						7			7A - Draw separation thread -	<	
						6					
						5					
						4					
						3			3A 2x Nm 28/4 Osiride 100% CO Filmar	<<	Friction <
Friction >	>	2A - Comb thread -				2			2B 1x Nm 28/4 Osiride 100% CO Filmar	<	Friction <
Friction >	>	1A - Draw separation thread -				1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0910349 - Yarn Quality R-Teil(e)

A	B	C		D	E	D	C	B	A
					8		8A - Residual yarn -	<	Friction <
					7				
					6				
					5				
					4				
					3				
Friction >	>	2A - Comb thread -			2		2B 1x Nm 28/4 Osiride 100% CO Filmar	<	Friction <
Friction >	>	1A - Draw separation thread -			1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0910349 - Yarn Quality Ärmel links

A	B	C				D	E	D	C	B	A
						8			8A - Residual yarn -	<	Friction <
						7					
						6					
						5					
						4					
						3					
Friction >	>	2A - Comb thread -						2		<	Friction <
Friction >	>	1A - Draw separation thread -						1			

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0910349 - Yarn Quality Ärmel rechts

A	B	C			D		E		D			C		B	A
							8					8A - Residual yarn -		<	Friction <
							7								
							6								
							5								
							4								
							3								
Friction >	>	2A - Comb thread -					2					2B 1x Nm 28/4 Osiride 100% CO Filmar		<	Friction <
Friction >	>	1A - Draw separation thread -					1								

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2