


Pattern No.: 0710504 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A
						8A - Residual yarn -	<	Friction <
						5A 1x Nm 100 Transparent Yarn 100% PA Hexihe sewing Thread Co., LTD	<	Friction <
						4A, AQUA GREEN 1x Nm 19.9 HFS-0529 53% VI, 47% CO HenFung	<	Friction <
						3A, SWEDISH BLUE 3x Nm 19.9 HFS-0529 53% VI, 47% CO HenFung	<<<	Friction <
	>	2A - Comb thread -						
Friction >	>	1A - Draw separation thread -				1B 1x Nm 100 Transparent Yarn 100% PA Hexihe sewing Thread Co., LTD	<	Friction <

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0710504 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
				6						
				5				5A 1x Nm 100 Transparent Yarn 100% PA Hexihe sewing Thread Co., LTD	<	Friction <
				4				4A, AQUA GREEN 1x Nm 19.9 HFS-0529 53% VI, 47% CO HenFung	<	Friction <
				3				3A, SWEDISH BLUE 3x Nm 19.9 HFS-0529 53% VI, 47% CO HenFung	<<<	Friction <
	>	2A - Comb thread -		2						
Friction >	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0710504 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
				6						
				5				5A 1x Nm 100 Transparent Yarn 100% PA Hexihe sewing Thread Co., LTD	<	Friction <
				4				4A, AQUA GREEN 1x Nm 19.9 HFS-0529 53% VI, 47% CO HenFung	<	Friction <
				3				3A, SWEDISH BLUE 3x Nm 19.9 HFS-0529 53% VI, 47% CO HenFung	<<<	Friction <
	>	2A - Comb thread -		2						
Friction >	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

