

Pattern No.: 0610464 - Yarn Quality Zutaten

A	B	C		D		E	D		C	B	A
						8			8A - Residual yarn -	<	Friction <
						7					
						6					
						5					
						4			4A, ROSE RED 2x Nm 11.5 Liquid 100% VI Lineapiu	<<	Friction <
						3					
	>	2A - Comb thread -				2					
						1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.



Plating_w_2->1



Plating_w_2->2

Pattern No.: 0610464 - Yarn Quality V-Teil(e)

A	B	C		D		E	D		C	B	A	
						8				8A - Residual yarn -	<	Friction <
						7						
						6				6A, PINK CHAMPAGNE 2x Nm 11.5 Liquid 100% VI Lineapiu	<<	Friction <
						5						
						4				4A, PINK CHAMPAGNE 2x Nm 11.5 Liquid 100% VI Lineapiu	<<	Friction <
						3				3A, ROSE RED 2x Nm 11.5 Liquid 100% VI Lineapiu	<<	Friction <
	>	2A - Comb thread -				2						
Friction >	>	1A - Draw separation thread -				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0610464 - Yarn Quality R-Teil(e)

A	B	C		D		E	D		C	B	A		
						8					8A - Residual yarn -	<	Friction <
						7							
						6					6A, PINK CHAMPAGNE 2x Nm 11.5 Liquid 100% VI Lineapiu	<<	Friction <
						5					5A, ROSE RED 2x Nm 24 G714 65% VI, 35% PA Guoyue	<<	Friction <
						4					4A, PINK CHAMPAGNE 2x Nm 11.5 Liquid 100% VI Lineapiu	<<	Friction <
						3					3A, ROSE RED 2x Nm 11.5 Liquid 100% VI Lineapiu	<<	Friction <
	>	2A - Comb thread -				2							
Friction >	>	1A - Draw separation thread -				1							

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.



Plating_w_2->1



Plating_w_2->2