


Pattern No.: 0710496 - Yarn Quality Zutaten

| A | B | C | D | E | D | C | B | A | | |
|------------|---|--|--|---|---|---|---|--|----|------------|
| | | | | 8 |  | | | 8A - - Residual yarn - - | < | Friction < |
| | | | | 7 | | | | | | |
| | | | | 6 |  | | | 6A, AQUA GREEN 1x Nm 28 ALTEA 52% CO, 48% VI Lineapiu | < | Friction < |
| | | | | 5 | | | | | | |
| | | | | 4 | | | | | | |
| | | | | 3 |  | | | 3A, AQUA GREEN 1x Nm 28 ALTEA 52% CO, 48% VI Lineapiu | < | Friction < |
| | > | 2A - - Comb thread - - |  | 2 |  | | | 2B, AQUA GREEN 2x Nm 28 ALTEA 52% CO, 48% VI Lineapiu | << | Friction < |
| Friction > | > | 1A - - Draw separation thread - - | | 1 |  | | | | | |


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0710496 - Yarn Quality V-Teil(e)

| A | B | C | D | E | D | C | B | A | | |
|------------|---|---|---|---|---|---|---|--|---|------------|
| | | | | 8 |  | | | 8A - - Residual yarn - - | < | Friction < |
| | | | | 7 |  | | | 7A, SWEDISH BLUE 1x Nm 48 S6059 82% AC, 18% PA Hotta | < | Friction < |
| | | | | 6 |  | | | 6A, CRYSTAL GRAY 1x Nm 48 S6059 82% AC, 18% PA Hotta | < | Friction < |
| Friction > | > | 5A, SWEDISH BLUE 1x Nm 48 S6059 82% AC, 18% PA Hotta | | 5 |  | | | | | |
| Friction > | > | 4A, CRYSTAL GRAY 1x Nm 48 S6059 82% AC, 18% PA Hotta | | 4 |  | | | | | |
| | | | | 3 |  | | | 3A, AQUA GREEN 1x Nm 28 ALTEA 52% CO, 48% VI Lineapiu | < | Friction < |
| | > | 2A - - Comb thread - - | | 2 |  | | | | | |
| Friction > | > | 1A - - Draw separation thread - - | | 1 |  | | | | | |

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0710496 - Yarn Quality R-Teil(e)

| A | B | C | D | E | D | C | B | A |
|------------|---|---|---|---|---|--|----|------------|
| | | | | | | 8A - - Residual yarn - - | < | Friction < |
| | | | | | | 7A, SWEDISH BLUE 1x Nm 48 S6059 82% AC, 18% PA Hotta | < | Friction < |
| | | | | | | 6A, CRYSTAL GRAY 1x Nm 48 S6059 82% AC, 18% PA Hotta | < | Friction < |
| Friction > | > | 5A, SWEDISH BLUE 1x Nm 48 S6059 82% AC, 18% PA Hotta | | | | | | |
| Friction > | > | 4A, CRYSTAL GRAY 1x Nm 48 S6059 82% AC, 18% PA Hotta | | | | | | |
| | | | | | | 3A, AQUA GREEN 1x Nm 28 ALTEA 52% CO, 48% VI Lineapiu | < | Friction < |
| | > | 2A - - Comb thread - - | | | | 2B, AQUA GREEN 2x Nm 28 ALTEA 52% CO, 48% VI Lineapiu | << | Friction < |
| Friction > | > | 1A - - Draw separation thread - - | | | | | | |

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

