

Pattern No.: 0710384 - Yarn Quality V-Teil(e) links

A	B	C		D		E	D		C	B	A
						8			8A - Protection thread -	<	Friction <
						7			7A, GREY 1x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<	Friction <
						6			6A, GREY 1x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<	Friction <
						5			5A, WHITE 2x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<<	Friction <
						4			4A, WHITE 2x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<<	Friction <
						3			3A, GREY 2x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<<	Friction <
Friction >	>	2A - Comb thread -				2					
Friction >	>	1A - Draw separation thread -				1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0710384 - Yarn Quality V-Teil(e) rechts

A	B	C		D		E	D		C	B	A	
						8				8A - Protection thread -	<	Friction <
						7				7B, GREY 1x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<	Friction <
						6				6A, GREY 1x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<	Friction <
						5				5A, WHITE 2x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<<	Friction <
						4				4A, WHITE 2x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<<	Friction <
						3				3A, GREY 2x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<<	Friction <
Friction >	>	2A - Comb thread -				2						
Friction >	>	1A - Draw separation thread -				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0710384 - Yarn Quality R-Teil(e)

A	B	C		D		E	D		C	B	A	
						8				8A - Protection thread -	<	Friction <
Friction >	>	7A, GREY 1x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci				7			7B, GREY 1x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<	Friction <	
						6			6A, GREY 1x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<	Friction <	
						5			5A, WHITE 2x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<<	Friction <	
						4			4A, WHITE 2x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<<	Friction <	
						3			3A, GREY 2x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<<	Friction <	
Friction >	>	2A - Comb thread -				2						
Friction >	>	1A - Draw separation thread -				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0710384 - Yarn Quality Ärmel

A	B	C		D		E	D		C	B	A	
						8				8A - Protection thread -	<	Friction >
						7						
						6			6A, GREY 1x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	<	Friction <	
						5						
						4						
						3						
Friction >	>	2A - Comb thread -				2			2B, GREY 4x Nm 5 Soffstar Melange 50% WV, 50% PA Filpucci	< 4	Friction <	
Friction >	>	1A - Draw separation thread -				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2