

**Pattern No.: 0610472 - Yarn Quality Kragen**

A	B	C	D	E	D	C	B	A		
				8				8A  -   -   Residual yarn   -   -	<	Friction <
				7				7A, LIMA BEAN  1x Nm 24   G714   65% VI, 35% PA   Guoyue	<	Friction <
				6						
				5						
				4						
				3						
	>	2A  -   -   Comb thread   -   -		2				2B, MOSSTONE  1x Nm 24   G714   65% VI, 35% PA   Guoyue	<	Friction <
Friction >	>	1A  -   -   Draw separation thread   -   -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



**Pattern No.: 0610472 - Yarn Quality Zutaten**

A	B	C	D	E	D	C	B	A
				8		8A  -   Residual yarn   -	<	
				7				
				6				
Friction >	>	5A, MOSSTONE  1x Nm 24   G714   65% VI, 35% PA   Guoyue		5				
				4		4A, MOSSTONE  1x Nm 24   G714   65% VI, 35% PA   Guoyue	<	Friction <
				3				
	>	2A  -   Comb thread   -		2				
				1				


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



**Pattern No.: 0610472 - Yarn Quality V-Teil(e)**

A	B	C	D	E	D	C	B	A
						8A  -   -   Residual yarn   -   -	<	Friction <
						7A, LIMA BEAN  1x Nm 24   G714   65% VI, 35% PA   Guoyue	<	Friction <
						6A, LIMA BEAN  6x Nm 30   C3688   53% VI, 47% CO   Hotta	< 6	Friction <
Friction >	6 >	5A, MOSSTONE  6x Nm 30   C3688   53% VI, 47% CO   Hotta						
						4A, MOSSTONE  6x Nm 30   C3688   53% VI, 47% CO   Hotta	< 6	Friction <
						3A, ROSE RED  6x Nm 30   C3688   53% VI, 47% CO   Hotta	< 6	Friction <
	>	2A  -   -   Comb thread   -   -				2B, MOSSTONE  1x Nm 24   G714   65% VI, 35% PA   Guoyue	<	Friction <
Friction >	>	1A  -   -   Draw separation thread   -   -						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



**Pattern No.: 0610472 - Yarn Quality R-Teil(e)**

A	B	C	D	E	D	C	B	A		
				8				8A  -   -   Residual yarn   -   -	<	Friction <
				7				7A, LIMA BEAN  1x Nm 24   G714   65% VI, 35% PA   Guoyue	<	Friction <
				6						
				5						
				4				4A, MOSSTONE  2x Nm 30   C3688   53% VI, 47% CO   Hotta	<<	Friction <
				3						
	>	2A  -   -   Comb thread   -   -		2				2B, MOSSTONE  1x Nm 24   G714   65% VI, 35% PA   Guoyue	<	Friction <
Friction >	>	1A  -   -   Draw separation thread   -   -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0610472 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A		
				8				8A  -   -   Residual yarn   -   -	<	Friction <
				7				7A, LIMA BEAN  1x Nm 24   G714   65% VI, 35% PA   Guoyue	<	Friction <
				6						
				5						
				4				4A, MOSSTONE  2x Nm 30   C3688   53% VI, 47% CO   Hotta	<<	Friction <
				3						
	>	2A  -   -   Comb thread   -   -		2				2B, MOSSTONE  1x Nm 24   G714   65% VI, 35% PA   Guoyue	<	Friction <
Friction >	>	1A  -   -   Draw separation thread   -   -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

