

Pattern No.: 0610479 - Yarn Quality Zutaten

A	B	C		D		E	D		C	B	A
						8			8A - Residual yarn -	<	Friction <
						7					
						6					
						5			5A, MOSSTONE 2x Nm 30 C3688 53% VI, 47% CO Hotta	<<	Friction <
						4					
						3			3A, PINK CHAMPAGNE 2x Nm 30 C3688 53% VI, 47% CO Hotta	<<	Friction <
	>	2A - Comb thread -				2					
Friction >	>	1A - Draw separation thread -				1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0610479 - Yarn Quality V-Teil(e)

A	B	C			D		E		D			C	B	A
							8					8A - Residual yarn -	<	Friction <
Friction >	>>	7A, MOSSTONE 2x Nm 30 C3688 53% VI, 47% CO Hotta					7							
							6					6A, LIMA BEAN 2x Nm 30 C3688 53% VI, 47% CO Hotta	<<	Friction <
Friction >	>>	5A, LIMA BEAN 2x Nm 30 C3688 53% VI, 47% CO Hotta					5					5B, MOSSTONE 2x Nm 30 C3688 53% VI, 47% CO Hotta	<<	Friction <
Friction >	>>	4A, PINK CHAMPAGNE 2x Nm 30 C3688 53% VI, 47% CO Hotta					4					4B, PINK CHAMPAGNE 2x Nm 30 C3688 53% VI, 47% CO Hotta	<<	Friction <
							3					3A, PINK CHAMPAGNE 2x Nm 30 C3688 53% VI, 47% CO Hotta	<<	Friction <
	>	2A - Comb thread -					2							
Friction >	>	1A - Draw separation thread -					1							

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0610479 - Yarn Quality R-Teil(e)

A	B	C		D		E	D		C	B	A
						8			8A - Residual yarn -	<	Friction <
						7					
						6					
						5			5A, MOSSTONE 2x Nm 30 C3688 53% VI, 47% CO Hotta	<<	Friction <
Friction >	>>	4A, PINK CHAMPAGNE 2x Nm 30 C3688 53% VI, 47% CO Hotta				4					
						3			3A, PINK CHAMPAGNE 2x Nm 30 C3688 53% VI, 47% CO Hotta	<<	Friction <
	>	2A - Comb thread -				2					
Friction >	>	1A - Draw separation thread -				1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0610479 - Yarn Quality Ärmel

A	B	C		D		E	D		C	B	A
						8			8A - Residual yarn -	<	Friction <
						7					
						6					
						5			5A, MOSSTONE 2x Nm 30 C3688 53% VI, 47% CO Hotta	<<	Friction <
						4					
						3			3A, PINK CHAMPAGNE 2x Nm 30 C3688 53% VI, 47% CO Hotta	<<	Friction <
	>	2A - Comb thread -				2					
Friction >	>	1A - Draw separation thread -				1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2