

Pattern No.: 1810095 - Yarn Quality Strickteil(e)

A	B	C	D	E	D	C	B	A
	v	16A - Draw separation thread -			16			
					15	15A 1x Nm 50/2 Protection thread -	v	
					14			
					13			
					12			
					11			
					10	10A, BLACK 1x Nm 2,8 Gabillino 78% LI, 22% PA C.T.F.	v	
					9			
					8	8A, BLACK 1x Nm 40/1 Thermoplastic Yarn 60% PP, 40% Kevlar Schoeller	v	

							7							
	v	6A, BROWN 1x Nm 1,3 Cayenne 100% CO Be.Mi.Va.					6							
							5							
							4					4A, YELLOW 2x dtex 76 f24 x1 Diolen® text. SET trilobal 100% PES TWD Fibres	vv	
							3					3A, SILVER 1x dtex 450 CRY Mini PA, HT JRC-Reflex	v	
							2							
							1							

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Normal-ADF



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.



Plating_w_2->1



Plating_w_2->2

Pattern No.: 1810095

Other Requirements:

Bypass FDF E3,5 mit FKE: 6L + 10R

E_OKC_003.303.000_STOLL
