

Pattern No.: 0510358 - Yarn Quality Kragen

A	B	C		D		E	D		C	B	A
						8			8A - Residual yarn -	<	Friction <
						7					
						6			6A, NORTH ATLANTIC 1x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù	<	Friction <
						5					
						4			4A, ACACIA 1x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù	<	Friction <
						3					
	>	2A - Comb thread -				2					
Friction >	>	1A - Draw separation thread -				1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2

Pattern No.: 0510358 - Yarn Quality V-Teil(e) links

A	B	C		D		E	D		C	B	A	
						8				8A - Residual yarn -	<	Friction <
						7						
						6				6A, NORTH ATLANTIC 1x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù	<	Friction <
Friction >	>	5A, ACACIA 1x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù					5					
						4				4A, ACACIA 1x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù	<	Friction <
Friction >	>	3A, NORTH ATLANTIC 1x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù					3					
	>	2A - Comb thread -					2					
Friction >	>	1A - Draw separation thread -					1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2

Pattern No.: 0510358 - Yarn Quality V-Teil(e) rechts

A	B	C		D		E	D		C	B	A
						8			8A - Residual yarn -	<	Friction <
						7					
						6			6A, NORTH ATLANTIC 1x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù	<	Friction <
						5					
						4			4A, ACACIA 1x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù	<	Friction <
						3					
	>	2A - Comb thread -				2					
Friction >	>	1A - Draw separation thread -				1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2

Pattern No.: 0510358 - Yarn Quality R-Teil(e)

A	B	C		D		E	D		C	B	A	
						8				8A - Residual yarn -	<	Friction <
						7						
						6				6A, NORTH ATLANTIC 1x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù	<	Friction <
Friction >	>	5A, ACACIA 1x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù				5						
						4				4A, ACACIA 1x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù	<	Friction <
Friction >	>	3A, NORTH ATLANTIC 1x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù				3						
	>	2A - Comb thread -				2						
Friction >	>	1A - Draw separation thread -				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2

Pattern No.: 0510358 - Yarn Quality Ärmel

A	B	C		D		E	D		C	B	A	
						8				8A - Residual yarn -	<	Friction <
						7						
						6				6A, NORTH ATLANTIC 1x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù	<	Friction <
						5						
						4				4A, ACACIA 1x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù	<	Friction <
						3						
	>	2A - Comb thread -				2						
Friction >	>	1A - Draw separation thread -				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2