

Pattern No.: 0510341 - Yarn Quality V-Teil(e)

A	B	C		D		E	D		C	B	A	
						8				8A - Residual yarn -	<	
						7						
						6				6A, ACACIA 3x 22/1 Nm Camelot 58% WM, 32% PA, 10% WO Lineapiù	<<<	Friction >
Friction >	>>>	5A, ACACIA 3x 22/1 Nm Camelot 58% WM, 32% PA, 10% WO Lineapiù					5					
						4				4A, NORTH ATLANTIC 1x 22/1 Nm Camelot 58% WM, 32% PA, 10% WO Lineapiù	<	Friction <
Friction >	>	3A, NORTH ATLANTIC 1x 22/1 Nm Camelot 58% WM, 32% PA, 10% WO Lineapiù					3					
	>	2A - Comb thread -					2					
						1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2

Pattern No.: 0510341 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A
				8		8A - Residual yarn -	<	
				7				
				6		6A, NORTH ATLANTIC 3x 22/1 Nm Camelot 58% WM, 32% PA, 10% WO Lineapiù	<<<	Friction <
				5				
				4				
				3				
	>	2A - Comb thread -		2				
				1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2

Pattern No.: 0510341 - Yarn Quality Ärmel

A	B	C		D		E	D		C	B	A
						8			8A - Residual yarn -	<	
						7					
						6			6A, NORTH ATLANTIC 3x 22/1 Nm Camelot 58% WM, 32% PA, 10% WO Lineapiù	<<<	Friction <
						5					
						4					
						3					
	>	2A - Comb thread -				2					
						1					

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2