


Pattern No.: 0810327 - Yarn Quality Kragen_1

A	B	C	D	E	D	C	B	A
						8A - - Protection thread - -	<	Friction <
Friction >	>>	6A, BLACK 2x Nm13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)						
Friction >	>	5A, TURKISH SEA 1x Nm 2.8 Winter Top 100% CO Filmar					<<	Friction <
						4A, TURKISH SEA 1x Nm 2.8 Winter Top 100% CO Filmar	<	Friction <
	>	2A - - Comb thread - -						
	>	1A - - Draw separation thread - -						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0810327 - Yarn Quality V-Teil(e) links

A	B	C	D	E	D	C	B	A		
				8				8A - - Protection thread - -	<	Friction <
				7						
				6						
				5				5A, TURKISH SEA 2x Nm 2.8 Winter Top 100% CO Filmar	<<	Friction <
Friction >	>>>	4A, BLACK 3x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)		4						
Friction >	4>	3A, BLACK 4x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)		3						
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0810327 - Yarn Quality V-Teil(e) rechts

A	B	C	D	E	D	C	B	A
						8A - - Protection thread - -	<	Friction <
Friction >	>>	7A, TURKISH SEA 2x Nm 2.8 Winter Top 100% CO Filmar			7			
Friction >	>>	6A, TURKISH SEA 2x Nm 2.8 Winter Top 100% CO Filmar			6			
					5			
Friction >	>>>	4A1 BLACK 3x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)			4			
Friction >	4>	3A, BLACK 4x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)			3		3B, BLACK 3x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)	<<< Friction <
	>	2A - - Comb thread - -			2			
					1			


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0810327 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - - Protection thread - -	<	Friction <
				7						
				6						
				5				5A, TURKISH SEA 2x Nm 2.8 Winter Top 100% CO Filmar	<<	Friction <
Friction >	>>>	4A, BLACK 3x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)		4						
Friction >	4>	3A, BLACK 4x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)		3				3B, BLACK 3x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)	<<<	Friction <
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0810327 - Yarn Quality Ärmel links

A	B	C	D	E	D	C	B	A		
				8				8A - - Protection thread - -	<	Friction <
				7						
				6						
				5				5A, TURKISH SEA 2x Nm 2.8 Winter Top 100% CO Filmar	<<	Friction <
Friction >	>>>	4A, BLACK 3x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)		4						
Friction >	4>	3A, BLACK 4x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)		3				3B, BLACK 3x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)	<<<	Friction <
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0810327 - Yarn Quality Ärmel rechts

A	B	C	D	E	D	C	B	A		
				8				8A - - Protection thread - -	<	Friction <
				7						
				6						
				5				5A, TURKISH SEA 2x Nm 2.8 Winter Top 100% CO Filmar	<<	Friction <
Friction >	>>>	4A, BLACK 3x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)		4						
Friction >	4>	3A, BLACK 4x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)		3				3B, BLACK 3x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)	<<<	Friction <
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

