








Pattern No.: 0610296 - Yarn Quality V-Teil(e) links

| A | B | C | D | E | D | C | B | A | | |
|------------|---|---|---|---|---|---|---|---|----|------------|
| | | | | 8 |  | | | 8A - Residual yarn - | < | Friction < |
| | | | | 7 |  | | | 7A - Residual yarn - | < | Friction < |
| Friction > | > | 6A, BROWN 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning | | 6 |  | | | | | |
| | | | | 5 |  | | | 5A, BROWN 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning | < | Friction < |
| | | | | 4 |  | | | 4A, ORANGE 2x 48/2 Nm Victoria 100% WV Zhangjiagang Yangtse Spinning | << | Friction < |
| Friction > | > | 3A, BROWN 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning | | 3 |  | | | | | |
| | > | 2A - Comb thread - | | 2 |  | | | | | |
| | | | | 1 | | | | | | |

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track








Pattern No.: 0610296 - Yarn Quality V-Teil(e) rechts

| A | B | C | D | E | D | C | B | A |
|------------|----|---|---|---|---|---|---|------------|
| | | | | | | 8A - Residual yarn - | < | Friction < |
| Friction > | > | 7A - Residual yarn - | | | | | | |
| | | | | | | 6A, BROWN 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning | < | Friction < |
| Friction > | > | 5A, BROWN 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning | | | | | | |
| Friction > | >> | 4A, ORANGE 2x 48/2 Nm Victoria 100% WV Zhangjiagang Yangtse Spinning | | | | | | |
| | | | | | | 3A, BROWN 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning | < | Friction < |
| | > | 2A - Comb thread - | | | | 2B, BROWN 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning | < | Friction < |
| | | | | | | | | |

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track







Pattern No.: 0610296 - Yarn Quality R-Teil(e)

| A | B | C | D | E | D | C | B | A | | |
|------------|---|---|---|---|---|---|---|---|----|------------|
| | | | | 8 |  | | | 8A - Residual yarn - | < | Friction < |
| | | | | 7 | | | | | | |
| Friction > | > | 6A, BROWN 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning | | 6 |  | | | | | |
| | | | | 5 |  | | | 5A, BROWN 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning | < | Friction < |
| | | | | 4 |  | | | 4A, ORANGE 2x 48/2 Nm Victoria 100% WV Zhangjiagang Yangtse Spinning | << | Friction < |
| | | | | 3 | | | | | | |
| | > | 2A - Comb thread - | | 2 |  | | | | | |
| | | | | 1 | | | | | | |

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0610296 - Yarn Quality Ärmel

| A | B | C | D | E | D | C | B | A | | |
|---|---|-------------------------|---|---|---|---|---|---|----|------------|
| | | | | 8 |  | | | 8A - Residual yarn - | < | Friction < |
| | | | | 7 | | | | | | |
| | | | | 6 | | | | | | |
| | | | | 5 |  | | | 5A, BROWN 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning | < | Friction < |
| | | | | 4 |  | | | 4A, ORANGE 2x 48/2 Nm Victoria 100% WV Zhangjiagang Yangtse Spinning | << | Friction < |
| | | | | 3 | | | | | | |
| | > | 2A - Comb thread - | | 2 |  | | | | | |
| | | | | 1 | | | | | | |

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

