




















**Pattern No.: 0910347 - Yarn Quality Zutaten**

A	B	C	D	E	D	C	B	A
				8		8A  -   -   Residual yarn   -   -	<	Friction <
				7				
				6				
				5				
				4		4A, BONE  2x Nm 30/2   Cashfeel   100% WV   Xinao	<<	Friction <
				3				
	>	2A  -   -   Comb thread   -   -		2				
Friction >	>	1A  -   -   Draw separation thread   -   -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal 
  Intarsia type 1 
  Intarsia type 2 
  Plating Yf. N 
  Double-Arm Plating Yf. 
  Plating\_w\_2->1 
  Plating\_w\_2->2





**Pattern No.: 0910347 - Yarn Quality V-Teil(e)**

A	B	C	D	E	D	C	B	A		
				8				8A  -   -   Residual yarn   -   -	<	Friction <
				7				7A, GOLDEN  2x Nm 62/2   Clever soft   100% PES   Lanificio dell' Olivo	<<	Friction <
				6				6A, BONE  1x Nm 3500   Cashfeel   100% WV   Xinao	<	Friction <
Friction >	>>	5A, BONE  2x Nm 30/2   Cashfeel   100% WV   Xinao		5						
				4				4A, BONE  2x Nm 30/2   Cashfeel   100% WV   Xinao	<<	Friction <
				3				3A, BONE  3x Nm 3500   Cashfeel   100% WV   Xinao	<<<	Friction <
	>	2A  -   -   Comb thread   -   -		2						
Friction >	>	1A  -   -   Draw separation thread   -   -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track










**Pattern No.: 0910347 - Yarn Quality R-Teil(e)**

A	B	C	D	E	D	C	B	A
				8		8A  -   -   Residual yarn   -   -	<	Friction <
				7				
				6				
				5				
				4		4A, BONE  2x Nm 30/2   Cashfeel   100% WV   Xinao	<<	Friction <
				3				
	>	2A  -   -   Comb thread   -   -		2				
Friction >	>	1A  -   -   Draw separation thread   -   -		1				


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track











**Pattern No.: 0910347 - Yarn Quality Ärmel links**

A	B	C	D	E	D	C	B	A		
				8				8A  -   -   Residual yarn   -   -	<	Friction <
				7						
				6				6A, BONE  1x Nm 3500   Cashfeel   100% WV   Xinao	<	Friction <
Friction >	>>	5A, BONE  2x Nm 30/2   Cashfeel   100% WV   Xinao		5						
				4				4A, BONE  2x Nm 30/2   Cashfeel   100% WV   Xinao	<<	Friction <
				3				3A, BONE  3x Nm 3500   Cashfeel   100% WV   Xinao	<<<	Friction <
	>	2A  -   -   Comb thread   -   -		2						
Friction >	>	1A  -   -   Draw separation thread   -   -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



**Pattern No.: 0910347 - Yarn Quality Ärmel rechts**

A	B	C	D	E	D	C	B	A
				8 		8A  -   -   Residual yarn   -   -	<	Friction <
				7 		7A, GOLDEN  2x Nm 62/2   Clever soft   100% PES   Lanificio dell' Olivo	<<	Friction <
				6 		6A, BONE  1x Nm 3500   Cashfeel   100% WV   Xinao	<	Friction <
Friction >	>>	5A, BONE  2x Nm 30/2   Cashfeel   100% WV   Xinao		5 				
				4 		4A, BONE  2x Nm 30/2   Cashfeel   100% WV   Xinao	<<	Friction <
				3 		3A, BONE  3x Nm 3500   Cashfeel   100% WV   Xinao	<<<	Friction <
	>	2A  -   -   Comb thread   -   -		2 				
Friction >	>	1A  -   -   Draw separation thread   -   -		1 				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

