













Pattern No.: 0910117 - Yarn Quality Kragen_1

A	B	C	D	E	D	C	B	A
				8 		8A - - Residual yarn - -	<	Friction <
				7				
				6				
				5 		5A, RED 1x Nm 48/2 - 100% WS Ningbo Consinee	<	Friction <
				4 		4A, BLACK 1x Nm 48/2 - 100% WS Ningbo Consinee	<	Friction <
				3				
	>	2A - - Comb thread - -		2 				
Friction >	>	1A - - Draw separation thread - -		1 				


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track







Pattern No.: 0910117 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A
				8		8A - - Residual yarn - -	<	Friction <
				7				
				6				
				5		5A, RED 1x Nm 48/2 - 100% WS Ningbo Consinee	<	Friction <
				4		4A, BLACK 1x Nm 48/2 - 100% WS Ningbo Consinee	<	Friction <
Friction >	>	3A, BLACK 1x Nm 48/2 - 100% WS Ningbo Consinee		3				
	>	2A - - Comb thread - -		2				
Friction >	>	1A - - Draw separation thread - -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0910117 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A
				8		8A - - Residual yarn - -	<	Friction <
				7				
				6				
				5				
				4		4A, BLACK 1x Nm 48/2 - 100% WS Ningbo Consinee	<	Friction <
				3				
	>	2A - - Comb thread - -		2				
Friction >	>	1A - - Draw separation thread - -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

