









Pattern No.: 0910231 - Yarn Quality Zutaten

A	B	C	D	E	D	C	B	A		
				8				8A - - Residual yarn - -	<	
				7						
				6						
				5						
				4				4A, BLUE GLASS 1x Nm 30/2 Cashfeel 100%WV Xinao	<	Friction <
				3						
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						








A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track










Pattern No.: 0910231 - Yarn Quality Ärmelbündchen

A	B	C	D	E	D	C	B	A		
				8				8A - - Residual yarn - -	<	
				7						
				6						
				5						
				4				4A, BLUE GLASS 2x Nm 30/2 Cashfeel 100%WV Xinao	<<	Friction <
				3						
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2









Pattern No.: 0910231 - Yarn Quality Strickteil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - - Residual yarn - -	<	
				7						
				6				6A, WHITE 2x 280 dtex/16F O1 100% PES KB Seiren	<<	
				5				5A, BLUE GLASS 1x Nm 30/2 Cashfeel 100%WV Xinao	<	Friction <
	>>	4A, WHITE 2x 280 dtex/16F O1 100% PES KB Seiren		4						
Friction >	>	3A, BLUE GLASS 1x Nm 30/2 Cashfeel 100%WV Xinao		3						
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0910231 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A
				8			8A - - Residual yarn - -	<
	>	7A - - Residual yarn - -		7				
				6			6A, WHITE 2x 280 dtex/16F O1 100% PES KB Seiren	<<
				5			5A, BLUE GLASS 1x Nm 30/2 Cashfeel 100%WV Xinao	< Friction <
				4			4A, BLUE GLASS 1x Nm 30/2 Cashfeel 100%WV Xinao	< Friction <
Friction >	>	3A, BLUE GLASS 1x Nm 30/2 Cashfeel 100%WV Xinao		3				
	>	2A - - Comb thread - -		2				
	>	1A - - Draw separation thread - -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

