









Pattern No.: 0710488 - Yarn Quality Kragen

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
				6						
				5						
				4				4A, CRYSTAL GRAY 3x Nm 19.9 HFS-0529 53% VI, 47% CO HenFung	<<<	Friction <
				3						
	>	2A - Comb thread -		2						
Friction >	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track










Pattern No.: 0710488 - Yarn Quality Zutaten

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
				6						
Friction >	>>>	5A, CRYSTAL GRAY 3x Nm 19.9 HFS-0529 53% VI, 47% CO HenFung		5						
				4				4A, CRYSTAL GRAY 3x Nm 19.9 HFS-0529 53% VI, 47% CO HenFung	<<<	Friction <
				3						
	>	2A - Comb thread -		2						
				1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track







Pattern No.: 0710488 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
				6				6A, AQUA GREEN 1x Nm 100/16 C2098 100% CO Hotta	<	Friction <
				5				5A, SWEDISH BLUE 1x Nm 100/16 C2098 100% CO Hotta	<	Friction <
				4				4A, CRYSTAL GRAY 5x Nm 19.9 HFS-0529 53% VI, 47% CO HenFung	< 5	Friction <
Friction >	5 >	3A, CRYSTAL GRAY 5x Nm 19.9 HFS-0529 53% VI, 47% CO HenFung		3						
	>	2A - Comb thread -		2						
Friction >	>	1A - Draw separation thread -		1						








A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track









Pattern No.: 0710488 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
				6						
				5						
				4				4A, CRYSTAL GRAY 5x Nm 19.9 HFS-0529 53% VI, 47% CO HenFung	< 5	Friction <
				3						
	>	2A - Comb thread -		2						
Friction >	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

-  Normal
-  Intarsia type 1
-  Intarsia type 2
-  Plating Yf. N
-  Double-Arm Plating Yf.
-  Plating_w_2->1
-  Plating_w_2->2

Pattern No.: 0710488 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
				6				6A, AQUA GREEN 5x Nm 19.9 HFS-0529 53% VI, 47% CO HenFung	< 5	Friction <
				5				5A, SWEDISH BLUE 5x Nm 19.9 HFS-0529 53% VI, 47% CO HenFung	< 5	Friction <
				4				4A, CRYSTAL GRAY 5x Nm 19.9 HFS-0529 53% VI, 47% CO HenFung	< 5	Friction <
				3						
	>	2A - Comb thread -		2						
Friction >	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

