












**Pattern No.: 1810088 - Yarn Quality Leibteil(e)**

A	B	C	D	E	D	C	B	A
	v	16A  1x Nm 30/2   Protection thread   -		16		16B  1x Nm 30/2   Protection thread   -	v	
				15				
	v	14A, NAVY  1x Nm 80/2   Millennium   100% WV   Zegna Baruffa			14			
	v	13A, NAVY  1x Nm 80/2   Millennium   100% WV   Zegna Baruffa			13			
				12				
				11				
	v	10A, BEIGE  1x Nm 23   Planet   87% LI, 23% PA   Filpucci			10			
	v	9A, BEIGE  1x Nm 23   Planet   87% LI, 23% PA   Filpucci			9			
	v	8A  1x Nm 60   Lumiere   100% VI   Filpucci			8			

v	7A, BLUE  1x Nm 52   Scarabeo   62% CO, 26% PES, 12% PA   Lineapiù					7							
v	6A, ECRU  1x Nm 18   Lotus   90% CO, 10% LI   Igea					6							
v	5A  1x dtex 220 f44   Grilon KE-60   CO-POLYESTER   EMS-Griltech					5							
v	4A, TRANSPARENT  1x Nm 5,3   Polypropylen Bändchen   100% PP   Nikol Weber					4							
v	3A, WHITE  1x Nm 4,5   Sarong   100% VI   Be.Mi.Va.					3					3B, BLACK  1x Nm 30/2   Cashwool   100% WV   Zegna Baruffa	v	
v	2A  1x   Comb thread   -					2							
v	1A  1x   Draw separation thread   -					1							

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Normal-ADF



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.



Plating\_w\_2->1



Plating\_w\_2->2

**Pattern No.: 1810088**

**Other Requirements:**

E-EKC\_000.233.000\_STOLL  
3,5 Bypass FDF mit FKE: 3L + 4L

---