











Pattern No.: 0810324 - Yarn Quality

A	B	C	D	E	D	C	B	A
				8				
				7				
				6				
Friction >	>	5A 1xNm 30/2 Soft-luster Border thread 100% WV Xinao		5		5B 1xNm 30/2 Soft-luster Border thread 100% WV Xinao	<<	Friction <
				4		4A 1xNm 30/2 Soft-luster Border thread 100% WV Xinao	<	Friction <
				3				
	>	2A - - Comb thread - -		2				
	>	1A - - Draw separation thread - -		1				


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track












Pattern No.: 0810324 - Yarn Quality Zutaten

A	B	C	D	E	D	C	B	A		
				8				8A - - Protection thread - -	<	
				7						
				6						
				5				5A, SILVER FOG(DARK) 2x Nm 50/2 Mirror 57% VI, 43% PA Raumer	<<	Friction <
				4				4A, OFFWHITE 1x Nm 30/2 Soft-luster 100% WV Xinao	<	Friction <
				3						
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track









Pattern No.: 0810324 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - - Protection thread - -	<	
				7						
				6				6A, DEEP BLUE 1x Nm 91/4 XKA914AO 61% VI, 34% CV, 5% SE Chia Her	<	Friction <
Friction >	>	5A, OFFWHITE 1x Nm 30/2 Soft-luster 100% WV Xinao		5				5B, SILVER FOG(DARK) 2x Nm 50/2 Mirror 57% VI, 43% PA Raumer	<<	Friction <
				4				4A, OFFWHITE 1x Nm 30/2 Soft-luster 100% WV Xinao	<	Friction <
Friction >	>	3A, DEEP BLUE 1x Nm 91/4 XKA914AO 61% VI, 34% CV, 5% SE Chia Her		3				3B, SILVER FOG(DARK) 1x Nm 50/2 Mirror 57% VI, 43% PA Raumer	<	Friction <
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track








Pattern No.: 0810324 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - - Protection thread - -	<	
				7						
				6						
Friction >	>	5A, OFFWHITE 1x Nm 30/2 Soft-luster 100% WV Xinao		5				5B, SILVER FOG(DARK) 2x Nm 50/2 Mirror 57% VI, 43% PA Raumer	<<	Friction <
				4				4A, OFFWHITE 1x Nm 30/2 Soft-luster 100% WV Xinao	<	Friction <
				3						
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track










Pattern No.: 0810324 - Yarn Quality Ärmel links

A	B	C	D	E	D	C	B	A		
				8				8A - - Protection thread - -	<	
				7						
				6						
				5				5A, SILVER FOG(DARK) 2x Nm 50/2 Mirror 57% VI, 43% PA Raumer	<<	Friction <
				4				4A, OFFWHITE 1x Nm 30/2 Soft-luster 100% WV Xinao	<	Friction <
				3						
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0810324 - Yarn Quality Ärmel rechts

A	B	C	D	E	D	C	B	A		
				8				8A - - Protection thread - -	<	
				7						
				6				6A, DEEP BLUE 1x Nm 91/4 XKA914AO 61% VI, 34% CV, 5% SE Chia Her	<	Friction <
				5				5A, SILVER FOG(DARK) 2x Nm 50/2 Mirror 57% VI, 43% PA Raumer	<<	Friction <
				4				4A, OFFWHITE 1x Nm 30/2 Soft-luster 100% WV Xinao	<	Friction <
				3				3A, SILVER FOG(DARK) 1x Nm 50/2 Mirror 57% VI, 43% PA Raumer	<	Friction <
	>	2A - - Comb thread - -		2						
	>	1A - - Draw separation thread - -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

