









**Pattern No.: 0910276 - Yarn Quality**

| A | B | C   | D | E | D   | C | B | A   |    |            |
|---|---|---|---|---|---|---|---|---|----|------------|
|   |   |   |   | 8 |    |   |   | 8A   -   -   Protection thread   -   -              | <  |            |
|   |   |   |   | 7 |   |   |   |   |    |            |
|   |   |   |   | 6 |    |   |   | 6A   2x Nm 44   Essenza   76% VI, 24% PA   Filpucci | << | Friction < |
|   |   |   |   | 5 |   |   |   |   |    |            |
|   |   |   |   | 4 |   |   |   |   |    |            |
|   |   |   |   | 3 |   |   |   |   |    |            |
|   | > | 2A   -   -   Comb thread   -   -            |   | 2 |  |   |   |   |    |            |
|   | > | 1A   -   -   Draw separation thread   -   - |   | 1 |  |   |   |   |    |            |

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track







**Pattern No.: 0910276 - Yarn Quality Zutaten**

| A | B | C                                  | D | E | D   | C  | B  | A          |
|---|---|------------------------------------|---|---|---|--|----|------------|
|   |   |                                    |   | 8 |    | 8A  -   Protection thread   -                      | <  |            |
|   |   |                                    |   | 7 |   |  |    |            |
|   |   |                                    |   | 6 |    | 6A  2x Nm 44   Essenza   76% VI, 24% PA   Filpucci | << | Friction < |
|   |   |                                    |   | 5 |   |  |    |            |
|   |   |                                    |   | 4 |   |  |    |            |
|   |   |                                    |   | 3 |   |  |    |            |
|   | > | 2A  -   Comb thread   -            |   | 2 |  |  |    |            |
|   | > | 1A  -   Draw separation thread   - |   | 1 |  |  |    |            |

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track








**Pattern No.: 0910276 - Yarn Quality V-Teil(e) links**

| A | B | C                                  | D | E | D   | C | B | A  |    |            |
|---|---|------------------------------------|---|---|---|---|---|--|----|------------|
|   |   |                                    |   | 8 |    |   |   | 8A  -   Protection thread   -                      | <  |            |
|   |   |                                    |   | 7 |   |   |   |  |    |            |
|   |   |                                    |   | 6 |    |   |   | 6A  2x Nm 44   Essenza   76% VI, 24% PA   Filpucci | << | Friction < |
|   |   |                                    |   | 5 |   |   |   |  |    |            |
|   |   |                                    |   | 4 |   |   |   |  |    |            |
|   |   |                                    |   | 3 |   |   |   |  |    |            |
|   | > | 2A  -   Comb thread   -            |   | 2 |  |   |   |  |    |            |
|   | > | 1A  -   Draw separation thread   - |   | 1 |  |   |   |  |    |            |

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track







**Pattern No.: 0910276 - Yarn Quality V-Teil(e) rechts**

| A          | B  | C  | D | E | D   | C | B | A  |    |            |
|------------|----|--|---|---|---|---|---|--|----|------------|
|            |    |  |   | 8 |    |   |   | 8A  -   Protection thread   -                      | <  |            |
|            |    |  |   | 7 |   |   |   |  |    |            |
|            |    |  |   | 6 |    |   |   | 6A  2x Nm 44   Essenza   76% VI, 24% PA   Filpucci | << | Friction < |
| Friction > | >> | 5A  2x Nm 44   Essenza   76% VI, 24% PA   Filpucci |   | 5 |    |   |   |  |    |            |
|            |    |  |   | 4 |   |   |   |  |    |            |
|            |    |  |   | 3 |   |   |   |  |    |            |
|            | >  | 2A  -   Comb thread   -                            |   | 2 |  |   |   |  |    |            |
|            | >  | 1A  -   Draw separation thread   -                 |   | 1 |  |   |   |  |    |            |


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track








**Pattern No.: 0910276 - Yarn Quality R-Teil(e)**

| A | B | C                                  | D | E | D   | C | B | A  |    |            |
|---|---|------------------------------------|---|---|---|---|---|--|----|------------|
|   |   |                                    |   | 8 |    |   |   | 8A  -   Protection thread   -                      | <  |            |
|   |   |                                    |   | 7 |   |   |   |  |    |            |
|   |   |                                    |   | 6 |    |   |   | 6A  2x Nm 44   Essenza   76% VI, 24% PA   Filpucci | << | Friction < |
|   |   |                                    |   | 5 |   |   |   |  |    |            |
|   |   |                                    |   | 4 |   |   |   |  |    |            |
|   |   |                                    |   | 3 |   |   |   |  |    |            |
|   | > | 2A  -   Comb thread   -            |   | 2 |  |   |   |  |    |            |
|   | > | 1A  -   Draw separation thread   - |   | 1 |  |   |   |  |    |            |


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track








**Pattern No.: 0910276 - Yarn Quality Ärmel links**

| A          | B  | C  | D | E | D   | C | B | A  |    |            |
|------------|----|--|---|---|---|---|---|--|----|------------|
|            |    |  |   | 8 |    |   |   | 8A  -   Protection thread   -                      | <  |            |
|            |    |  |   | 7 |   |   |   |  |    |            |
|            |    |  |   | 6 |    |   |   | 6A  2x Nm 44   Essenza   76% VI, 24% PA   Filpucci | << | Friction < |
| Friction > | >> | 5A  2x Nm 44   Essenza   76% VI, 24% PA   Filpucci |   | 5 |    |   |   |  |    |            |
|            |    |  |   | 4 |   |   |   |  |    |            |
|            |    |  |   | 3 |   |   |   |  |    |            |
|            | >  | 2A  -   Comb thread   -                            |   | 2 |  |   |   |  |    |            |
|            | >  | 1A  -   Draw separation thread   -                 |   | 1 |  |   |   |  |    |            |

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



**Pattern No.: 0910276 - Yarn Quality Ärmel rechts**

| A          | B  | C  | D | E | D   | C | B | A  |
|------------|----|--|---|---|---|---|---|--|
|            |    |  |   | 8 |    |   |   | 8A  -   Protection thread   -                      |
|            |    |  |   | 7 |   |   |   |  |
|            |    |  |   | 6 |    |   |   | 6A  2x Nm 44   Essenza   76% VI, 24% PA   Filpucci |
| Friction > | >> | 5A  2x Nm 44   Essenza   76% VI, 24% PA   Filpucci |   | 5 |    |   |   | << Friction <                                      |
|            |    |  |   | 4 |   |   |   |  |
|            |    |  |   | 3 |   |   |   |  |
|            | >  | 2A  -   Comb thread   -                            |   | 2 |  |   |   |  |
|            | >  | 1A  -   Draw separation thread   -                 |   | 1 |  |   |   |  |

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

