



Pattern No.: 1510044 - Yarn Quality Seitenteil(e) links






A	B	C	D	E	D	C	B	A
				16				
				15				
				14				
				13				
				12				
				11				
				10				
				9				
				8				

16A| 1x Nm 28/2 | Protection thread | - |

v

9A, BLUE| 1x Nm 4/1 | Maxi Must | 100% WV | Zegna Baruffa
|

v

							7					7A, ORANGE 4x Nm 60 Glow 100% PES Pinori Filati	4v	
							6					6A, YELLOW 4x Nm 60 Glow 100% PES Pinori Filati	4v	
							5					5A, YELLOW 1x Lycra 44 dtex, PA 44 dtex 3772X 82,6% PA, 17,4% EA Zimmermann	v	
							4							
							3							
	v	2A - Comb thread -					2							
	v	1A - Draw separation thread -					1							

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Normal-ADF



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.










Plating_w_2->1



Plating_w_2->2

Pattern No.: 1510044 - Yarn Quality Seitenteil(e) rechts

A	B	C	D	E	D	C	B	A
				16		16A 1x Nm 28/2 Protection thread -	v	
				15				
				14				
				13				
				12				
				11				
				10				
				9		9A, BLUE 1x Nm 4/1 Maxi Must 100% WV Zegna Baruffa 	v	
				8				

							7						7A, ORANGE 4x Nm 60 Glow 100% PES Pinori Filati		4v
							6						6A, YELLOW 4x Nm 60 Glow 100% PES Pinori Filati		4v
							5						5A, YELLOW 1x Lycra 44 dtex, PA 44 dtex 3772X 82,6% PA, 17,4% EA Zimmermann		v
							4								
							3								
	v						2						2A - Comb thread -		
	v						1						1A - Draw separation thread -		

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Normal-ADF



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.



Plating_w_2->1



Plating_w_2->2

Pattern No.: 1510044

Other Requirements:

FDF E3.5 mit Bypass für Schussfaden
