






Pattern No.: 0610262 - Yarn Quality Zutaten

A	B	C	D	E	D	C	B	A
				8		8A - Residual yarn -	<	
				7				
				6				
Friction >	>	5A, GREEN 1x 50/2 Nm Sueno 86% VI, 14% PBT Lineapiù		5				
				4				
				3				
	>	2A 1x 352 den CS26955 Comb thread 89% PES, 11% EA Filix SHG		2				
	>	1A - Draw separation thread -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track








Pattern No.: 0610262 - Yarn Quality V-Teil(e) links

A	B	C	D	E	D	C	B	A
				8				8A - Residual yarn -
				7				
Friction >	>	6A, YELLOW 1x 50/2 Nm Sueno 86% VI, 14% PBT Lineapiù		6				
Friction >	>	5A, GREEN 1x 50/2 Nm Sueno 86% VI, 14% PBT Lineapiù		5				
				4				4A, YELLOW 1x 50/2 Nm Sueno 86% VI, 14% PBT Lineapiù
				3				3A, GREEN 1x 50/2 Nm Sueno 86% VI, 14% PBT Lineapiù
	>	2A - Comb thread -		2				
				1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0610262 - Yarn Quality V-Teil(e) rechts

A	B	C	D	E	D	C	B	A
				8				8A - Residual yarn -
				7				
Friction >	>	6A, YELLOW 1x 50/2 Nm Sueno 86% VI, 14% PBT Lineapiù		6				
Friction >	>	5A, GREEN 1x 50/2 Nm Sueno 86% VI, 14% PBT Lineapiù		5				
				4				4A, YELLOW 1x 50/2 Nm Sueno 86% VI, 14% PBT Lineapiù
				3				3A, GREEN 1x 50/2 Nm Sueno 86% VI, 14% PBT Lineapiù
	>	2A - Comb thread -		2				
				1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

