







Pattern No.: 0710101 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A
				8				
				7 		7A 3x Nm 34/2 Ocean 50% CO, 50% PC TVU	<<<	Friction <
				6				
				5 		5A 1x Nm 34/2 4565 42% VI, 42% PC, 16% ME Pournaras Bros	<	Friction <
Friction >	>>>	4A 3x Nm 34/2 Ocean 50% CO, 50% PC TVU		4 				
				3 		3A 1x Nm 34/2 Ocean 50% CO, 50% PC TVU	<	Friction <
	>	2A - Comb thread -		2 				
	>	1A - Draw separation thread -		1 				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N









Plating_w_2->1



Plating_w_2->2

Pattern No.: 0710101 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A
				8				
				7 		7A 3x Nm 34/2 Ocean 50% CO, 50% PC TVU	<<<	Friction <
				6				
				5 		5A 1x Nm 34/2 4565 42% VI, 42% PC, 16% ME Pournaras Bros	<	Friction <
Friction >	>>>	4A 3x Nm 34/2 Ocean 50% CO, 50% PC TVU		4 				
				3 		3A 1x Nm 34/2 Ocean 50% CO, 50% PC TVU	<	Friction <
	>	2A - Comb thread -		2 				
	>	1A - Draw separation thread -		1 				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2

Pattern No.: 0710101

Other Requirements:

Alle Fäden seperat über Aufholspanner.

Wert 1.0 für MG grob (aussen)

Wert 1.5 für MG fein (Band Mitte)
