














Pattern No.: 1110066 - Yarn Quality Kragen_1

A	B	C	D	E	D	C	B	A		
				8				8A 2x Nm 28/2 Protection thread -	<<	
				7				7A 2x Nm 28/2 Protection thread -	<<	
				6						
				5				5A 1x Nm 6,2 Airsilver 67% VI, 33% WV Igea	<	Friction <
				4				4A 1x Nm 6,2 Airsilver 67% VI, 33% WV Igea	<	Friction <
				3						
				2				2A - Comb thread -	<	
				1				1A - Draw separation thread -	<	


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track









Pattern No.: 1110066 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A 2x Nm 28/2 Future 60 Protection thread 60% WV, 40% PC Schaefer Garne	<<	
				7				7A 2x Nm 28/2 Future 60 Protection thread 60% WV, 40% PC Schaefer Garne	<<	
				6						
				5				5A 1x Nm 6,2 Airsilver 67% VI, 33% WV Igea	<	Friction <
				4				4A 1x Nm 6,2 Airsilver 67% VI, 33% WV Igea	<	Friction <
				3				3A 1x Elastan 420 dtex, PA 78/2 dtex 6350N Elastic thread 67,5% PA, 32,5% EA Zimmermann	<	
				2				2A - Comb thread -	<	
				1				1A - Draw separation thread -	<	


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track









Pattern No.: 1110066 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A 2x Nm 28/2 Protection thread -	<<	
				7						
				6						
				5				5A 1x Nm 6,2 Airsilver 67% VI, 33% WV Igea	<	Friction <
				4				4A 1x Nm 6,2 Airsilver 67% VI, 33% WV Igea	<	Friction <
				3				3A 1x Elastan 420 dtex, PA 78/2 dtex 6350N Elastic thread 67,5% PA, 32,5% EA Zimmermann	<	
				2				2A - Comb thread -	<	
				1				1A - Draw separation thread -	<	


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 1110066 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A		
				8				8A 2x Nm 28/2 Protection thread -	<<	
				7						
				6						
				5				5A 1x Nm 6,2 Airsilver 67% VI, 33% WV Igea	<	Friction <
				4				4A 1x Nm 6,2 Airsilver 67% VI, 33% WV Igea	<	Friction <
				3				3A 1x Elastan 420 dtex, PA 78/2 dtex 6350N Elastic thread 67,5% PA, 32,5% EA Zimmermann	<	
				2				2A - Comb thread -	<	
				1				1A - Draw separation thread -	<	

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 1110066

Other Requirements:

YD optimiert
