






Pattern No.: 1910077 - Yarn Quality Kragen_1

A	B	C	D	E	D	C	B	A	
				16			16A 1x Nm 50/2 Protection thread -	<	Storage <
Storage >	>	15A 1x Nm 50/2 Protection thread -		15					
				14			14A, PALE GREEN 084 2x Nm 130/2 Spritz 70% CMD, 30% PBT Isy	<+<	Storage <
Storage >	>+>	13A, PALE GREEN 084 2x Nm 130/2 Spritz 70% CMD, 30% PBT Isy		13					
				12					
				11					
				10					
				9					
				8					

							7							
							6							
							5							
							4							
							3							
							2							
	>	1A 1x Draw separation thread -					1							

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Normal-ADF



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.









Plating_w_2->1



Plating_w_2->2

Pattern No.: 1910077 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A
						16A 1x Nm 50/2 Protection thread -	<	Storage <
						14A, PALE GREEN 084 2x Nm 130/2 Spritz 70% CMD, 30% PBT lsy	<+<	Storage <
						13A, POLAR 01054 1x Lycra 44 dtex, PA 44 dtex 3772X 82,6% PA, 17,4% EA Zimmermann	<	Storage <
Storage >	>	12A, POLAR 01054 1x Lycra 44 dtex, PA 44 dtex 3772X 82,6% PA, 17,4% EA Zimmermann				12B, SAND 01045 1x Lycra 22 dtex, PA 78 dtex 4495X 93,8% PA, 6,2% EA Zimmermann	<	Storage <
Storage >	>	11A, POLAR 01054 1x Lycra 44 dtex, PA 44 dtex 3772X 82,6% PA, 17,4% EA Zimmermann						
						8A, POLAR 01054 1x EA 390 dtex, PA 2x 22 dtex 20537 56% EA, 44% PA Zimmermann	<	Storage <

Storage >	>	7A, POLAR 01054 1x EA 390 dtex, PA 2x 22 dtex 20537 56% EA, 44% PA Zimmermann				7							
						6							
Storage >	>	5A, POLAR 01054 1x EA 390 dtex, PA 2x 22 dtex 20537 56% EA, 44% PA Zimmermann				5			5B, POLAR 01054 1x Lycra 44 dtex, PA 44 dtex 3772X 82,6% PA, 17,4% EA Zimmermann	<	Storage <		
Storage >	>	4A, SAND 01045 1x Lycra 22 dtex, PA 78 dtex 4495X 93,8% PA, 6,2% EA Zimmermann				4			4B, POLAR 01054 1x Lycra 44 dtex, PA 44 dtex 3772X 82,6% PA, 17,4% EA Zimmermann	<	Storage <		
						3							
						2							
	>	1A 1x Draw separation thread -				1							

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Normal-ADF



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.






Plating_w_2->1



Plating_w_2->2

Pattern No.: 1910077 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A
						16A 1x Nm 50/2 Protection thread -	<	Storage <
Storage >	>	15A 1x Nm 50/2 Protection thread -						
						14A, PALE GREEN 084 2x Nm 130/2 Spritz 70% CMD, 30% PBT Isy	<+<	Storage <
						12A, SAND 01045 1x Lycra 22 dtex, PA 78 dtex 4495X 93,8% PA, 6,2% EA Zimmermann	<	Storage <
						8A, POLAR 01054 1x EA 390 dtex, PA 2x 22 dtex 20537 56% EA, 44% PA Zimmermann	<	Storage <

							7							
							6							
							5							
							4				4A, POLAR 01054 1x Lycra 44 dtex, PA 44 dtex 3772X 82,6% PA, 17,4% EA Zimmermann	<	Storage <	
							3							
							2							
	>	1A 1x Draw separation thread -					1				1B 1x Draw separation thread -	<		

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Normal-ADF



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.



Plating_w_2->1



Plating_w_2->2

Pattern No.: 1910077

Other Requirements:

Muster wurde mit MFS-Speicher-Fournisseur gestrickt.

Pattern knitted with MFS-Storage Fournisseur
