












Pattern No.: 0810435 - Yarn Quality Kragen

A	B	C	D	E	D	C	B	A
						8A - - Residual yarn - -	<	Friction <
	>	2A - - Comb thread - -				2B, BLEACHED SAND 3x Nm 60/2 CEDUNA 100% WV Biella Yarn BY SUEDWOLLE	<<<	Friction <
Friction >	>	1A - - Draw separation thread - -						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track










Pattern No.: 0810435 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A
Friction >	>	8A - - Residual yarn - -		8		8B - - Residual yarn - -	<	Friction <
Friction >	>>	7A, BLEACHED SAND 2x Nm 60/2 CEDUNA 100% WV Biella Yarn BY SUEDWOLLE			7			
	>	6A 1x 40 den LL-40 75% PA, 25% EA ESIDA			6			
Friction >	>	5A, WHITE/BLACK 1x Nm 12/2 Primaloft Yarn 100% Primaloft Albany Int'l Corp.		5		5B, BLEACHED SAND 2x Nm 60/2 CEDUNA 100% WV Biella Yarn BY SUEDWOLLE	<<	Friction <
				4		4A 1x 40 den LL-40 75% PA, 25% EA ESIDA	<	
				3		3A, WHITE/BLACK 1x Nm 12/2 Primaloft Yarn 100% Primaloft Albany Int'l Corp.	<	Friction <
	>	2A - - Comb thread - -		2		2B, BLEACHED SAND 3x Nm 60/2 CEDUNA 100% WV Biella Yarn BY SUEDWOLLE	<<<	Friction <
Friction >	>	1A - - Draw separation thread - -		1				


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track










Pattern No.: 0810435 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - - Residual yarn - -	<	Friction <
				7						
				6						
				5				5A, BLEACHED SAND 2x Nm 60/2 CEDUNA 100% WV Biella Yarn BY SUEDWOLLE	<<	Friction <
				4				4A 1x 40 den LL-40 75% PA, 25% EA ESIDA	<	
				3				3A, WHITE/BLACK 1x Nm 12/2 Primaloft Yarn 100% Primaloft Albany Int'l Corp.	<	Friction <
	>	2A - - Comb thread - -		2				2B, BLEACHED SAND 3x Nm 60/2 CEDUNA 100% WV Biella Yarn BY SUEDWOLLE	<<<	Friction <
Friction >	>	1A - - Draw separation thread - -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0810435 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A		
				8				8A - - Residual yarn - -	<	Friction <
				7						
				6						
				5				5A, BLEACHED SAND 2x Nm 60/2 CEDUNA 100% WV Biella Yarn BY SUEDWOLLE	<<	Friction <
				4				4A 1x 40 den LL-40 75% PA, 25% EA ESIDA	<	
				3				3A, WHITE/BLACK 1x Nm 12/2 Primaloft Yarn 100% Primaloft Albany Int'l Corp.	<	Friction <
	>	2A - - Comb thread - -		2				2B, BLEACHED SAND 3x Nm 60/2 CEDUNA 100% WV Biella Yarn BY SUEDWOLLE	<<<	Friction <
Friction >	>	1A - - Draw separation thread - -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

