






**Pattern No.: 0510314 - Yarn Quality Zutaten**

A	B	C	D	E	D	C	B	A
						8A   -   Residual yarn   -	<	Friction <
						7A, WHITE   2x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco	<<	Friction <
						6A, WHITE   2x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco	<<	Friction <
Friction >	>>	5A, LEMON YELLOW   2x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco						
						4A, LEMON YELLOW   2x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco	<<	Friction <
	>	2A   -   Comb thread   -				2B, LEMON YELLOW   2x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco	<<	Friction <

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



**Pattern No.: 0510314 - Yarn Quality V-Teil(e) links**

A	B	C	D	E	D	C	B	A		
				8				8A  -   Residual yarn   -	<	Friction <
				7				7A, WHITE  2x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco	<<	Friction <
				6				6A, WHITE  2x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco	<<	Friction <
				5						
				4						
				3						
	>	2A  -   Comb thread   -		2						
Friction >	>	1A  -   Draw separation thread   -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



**Pattern No.: 0510314 - Yarn Quality V-Teil(e) rechts**

A	B	C	D	E	D	C	B	A
						8A  -   Residual yarn   -	<	Friction <
						7A, WHITE  2x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco	<<	Friction <
						6A, WHITE  2x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco	<<	Friction <
Friction >	>>	5A, LEMON YELLOW  2x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco						
Friction >	>>	4A, WHITE  2x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco						
Friction >	>>	3A, YELLOW  2x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco						
	>	2A  -   Comb thread   -				2B, LEMON YELLOW  2x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco	<<	Friction <

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

