









**Pattern No.: 1010306 - Yarn Quality Kragen\_1**

A	B	C	D	E	D	C	B	A		
				8				8A  1x   Comb thread   -	<	
				7				7A  2x Nm 28/2   Protection thread   -	<<	Friction <
				6						
				5						
				4				4A  1x Nm 2,8   Tiffany   52% CO, 25% VI, 23% LI   Lineapiù (filclass)	<	Friction <
				3						
				2						
				1				1A  1x   Draw separation thread   -	<	


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track











**Pattern No.: 1010306 - Yarn Quality Zutaten**

A	B	C	D	E	D	C	B	A		
				8				8A  1x   Comb thread   -	<	
				7				7A  2x Nm 28/2   Protection thread   -	<<	Friction <
				6						
				5						
				4				4A  1x Nm 2,8   Tiffany   52% CO, 25% VI, 23% LI   Lineapiù (filclass)	<	Friction <
				3						
				2						
				1				1A  1x   Draw separation thread   -	<	


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



**Pattern No.: 1010306 - Yarn Quality Leibteil(e)**

A	B	C	D	E	D	C	B	A		
				8				8A  1x   Comb thread   -	<	
				7				7A  1x Nm 2,8   Tiffany   52% CO, 25% VI, 23% LI   Lineapiù (filclass)	<	Friction <
				6				6A  1x 3 mm x 1 mm   Leather String   100% LEATHER   ISOlife	<	Friction <
				5				5A  1x 3 mm x 1 mm   Leather String   100% LEATHER   ISOlife	<	Friction <
				4				4A  1x Nm 2,8   Tiffany   52% CO, 25% VI, 23% LI   Lineapiù (filclass)	<	Friction <
				3				3A  1x Nm 2,8   Tiffany   52% CO, 25% VI, 23% LI   Lineapiù (filclass)	<	Friction <
				2				2A  1x Nm 2,8   Tiffany   52% CO, 25% VI, 23% LI   Lineapiù (filclass)	<	Friction <
				1				1A,  2x Nm 28/2   Protection thread   100% PC   -	<<	Friction <

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



**Pattern No.: 1010306**

**Other Requirements:**

see file "special yarn info"

---