STOLL
THE RIGHT WAY TO KNIT

Pattern No.: 0710306 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A
				8		8A| - | Residual yarn | - |	<	Friction <
Friction >	>	7A| - | Residual yarn | - |		7				
				6				
Friction >	>>	5A| 2x Nm 48/2 | Victoria | 100% WV | Biella Yarn BY SUEDWOLLE |		5				
				4		4A| 2x Nm 48/2 | Victoria | 100% WV | Biella Yarn BY SUEDWOLLE |	<<	Friction <
				3				
	>	2A| - | Comb thread | - |		2				
Friction >	>	1A| - | Draw separation thread | - |		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

Normal Intarsia type 1 Intarsia type 2 Plating Yf. N Double-Arm Plating Yf. Plating_w_2->1 Plating_w_2->2

Pattern No.: 0710306 - Yarn Quality R-Teil(e)

A	B	C	D			E	D			C	B	A
						8				8A| - | Residual yarn | - |	<	Friction <
						7						
						6						
Friction >	>>	5A| 2x Nm 48/2 | Victoria | 100% WV | Biella Yarn BY SUEDWOLLE |				5						
						4				4A| 2x Nm 48/2 | Victoria | 100% WV | Biella Yarn BY SUEDWOLLE |	<<	Friction <
						3						
	>	2A| - | Comb thread | - |				2						
Friction >	>	1A| - | Draw separation thread | - |				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

Normal Intarsia type 1 Intarsia type 2 Plating Yf. N Double-Arm Plating Yf. Plating_w_2->1 Plating_w_2->2

Pattern No.: 0710306 - Yarn Quality Ärmel

A	B	C	D	D	E	D	C	B	A
					8		8A| - | Residual yarn | - |	<	Friction <
					7				
					6				
					5				
					4		4A| 2x Nm 48/2 | Victoria | 100% WV | Biella Yarn BY SUEDWOLLE |	<<	Friction <
					3		3A| 3x Nm 48/2 | Victoria | 100% WV | Biella Yarn BY SUEDWOLLE |	<<<	Friction <
	>	2A| - | Comb thread | - |			2				
Friction >	>	1A| - | Draw separation thread | - |			1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

Normal Intarsia type 1 Intarsia type 2 Plating Yf. N Double-Arm Plating Yf. Plating_w_2->1 Plating_w_2->2