
















Pattern No.: 0610001 - Yarn Quality Zubehör

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	
				7				7A, NIAGARA 1x 35/1 Nm CN33569 69% CO, 31% PA Bondson	<	Friction <
				6				6A, GOLD 2x 50/1 Nm G320 83% AC, 17% PES Oke	<<	Friction <
				5				5A, WHITE 1x 35/1 Nm CN33569 69% CO, 31% PA Bondson	<	Friction <
				4						
Friction >	>	3A, BLUE INDIGO 1x 35/1 Nm CN33569 69% CO, 31% PA Bondson		3						
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track







Pattern No.: 0610001 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	
				7				7A, SKIRT, NIAGARA 1x 35/1 Nm CN33569 69% CO, 31% PA Bondson	<	Friction <
				6				6A, SKIRT, GOLD 2x 50/1 Nm G320 83% AC, 17% PES Oke	<<	Friction <
				5				5A, SKIRT, WHITE 1x 35/1 Nm CN33569 69% CO, 31% PA Bondson	<	Friction <
				4				4A, SKIRT, WHITE + GOLD 1x 53/2 Ne + 1x 50/1 Nm Q1-44C + G320 100% CO + 83% AC, 17% PES Ningbo Qiaotaixing + Oke	<<	Friction <
Friction >	>	3A, SKIRT, BLUE INDIGO 1x 35/1 Nm CN33569 69% CO, 31% PA Bondson		3						
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track







Pattern No.: 0610001 - Yarn Quality V-Teil(e) links

A	B	C	D	E	D	C	B	A
				8		8A - Residual yarn -	<	
				7				
				6				
				5		5A, SHORTS, WHITE 1x 35/1 Nm CN33569 69% CO, 31% PA Bondson	<	Friction <
				4				
				3				
	>	2A - Comb thread -		2				
	>	1A - Draw separation thread -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track











Pattern No.: 0610001 - Yarn Quality V-Teil(e) rechts

A	B	C	D	E	D	C	B	A
				8		8A - Residual yarn -	<	
				7				
				6				
				5		5A, SHORTS, WHITE 1x 35/1 Nm CN33569 69% CO, 31% PA Bondson	<	Friction <
				4				
				3				
	>	2A - Comb thread -		2				
	>	1A - Draw separation thread -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0610001 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	
				7				7A, SKIRT, NIAGARA 1x 35/1 Nm CN33569 69% CO, 31% PA Bondson	<	Friction <
				6				6A, SKIRT, GOLD 2x 50/1 Nm G320 83% AC, 17% PES Oke	<<	Friction <
				5				5A, SKIRT, WHITE 1x 35/1 Nm CN33569 69% CO, 31% PA Bondson	<	Friction <
				4				4A, SKIRT, WHITE + GOLD 1x 53/2 Ne + 1x 50/1 Nm Q1-44C + G320 100% CO + 83% AC, 17% PES Ningbo Qiaotaixing + Oke	<<	Friction <
Friction >	>	3A, SKIRT, BLUE INDIGO 1x 35/1 Nm CN33569 69% CO, 31% PA Bondson		3						
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

