





Pattern No.: 0910324 - Yarn Quality Zutaten

| A | B | C | D | E | D | C | B | A | | |
|------------|---|--|---|---|---|---|---|--|----|------------|
| | | | | 8 |  | | | 8A - - Residual yarn - - | < | Friction < |
| | | | | 7 | | | | | | |
| | | | | 6 | | | | | | |
| | | | | 5 | | | | | | |
| | | | | 4 | | | | | | |
| | | | | 3 |  | | | 3A, BLUE GLASS 2x Nm 85/3 AYU 50% TEN, 25% CO, 20% SILK, 5% CA YSK | << | Friction < |
| | > | 2A - - Elastic thread - - | | 2 |  | | | | | |
| Friction > | > | 1A - - Draw separation thread - - | | 1 |  | | | | | |

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track










Pattern No.: 0910324 - Yarn Quality V-Teil(e)

| A | B | C | D | E | D | C | B | A |
|------------|----|---|---|---|---|---|-----|------------|
| | | | | | | 8A - - Residual yarn - - | < | Friction < |
| Friction > | > | 7A - - Residual yarn - - | | | | | | |
| Friction > | >> | 6A, BLUE GLASS 2x Nm 85/3 AYU 50% TEN, 25% CO, 20% SILK, 5% CA YSK | | | | | | |
| | | | | | | 5A, NUDE 2x Nm 85/3 AYU 50% TEN, 25% CO, 20% SILK, 5% CA YSK | << | Friction < |
| | | | | | | 4A, BLUE GLASS 3x Nm 85/3 AYU 50% TEN, 25% CO, 20% SILK, 5% CA YSK | <<< | Friction < |
| | | | | | | 3A, BLUE GLASS 2x Nm 85/3 AYU 50% TEN, 25% CO, 20% SILK, 5% CA YSK | << | Friction < |
| | > | 2A - - Elastic thread - - | | | | | | |
| Friction > | > | 1A - - Draw separation thread - - | | | | | | |

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0910324 - Yarn Quality R-Teil(e)

| A | B | C | D | E | D | C | B | A | | |
|------------|----|---|---|---|---|---|---|---|----|------------|
| | | | | 8 |  | | | 8A - - Residual yarn - - | < | Friction < |
| Friction > | > | 7A - - Residual yarn - - | | 7 |  | | | | | |
| Friction > | >> | 6A, BLUE GLASS 2x Nm 85/3 AYU 50% TEN, 25% CO, 20% SILK, 5% CA YSK | | 6 |  | | | | | |
| | | | | 5 |  | | | 5A, NUDE 2x Nm 85/3 AYU 50% TEN, 25% CO, 20% SILK, 5% CA YSK | << | Friction < |
| | | | | 4 | | | | | | |
| | | | | 3 |  | | | 3A, BLUE GLASS 2x Nm 85/3 AYU 50% TEN, 25% CO, 20% SILK, 5% CA YSK | << | Friction < |
| | > | 2A - - Elastic thread - - | | 2 |  | | | | | |
| Friction > | > | 1A - - Draw separation thread - - | | 1 |  | | | | | |

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

