










## Pattern No.: 1310126 - Yarn Quality Kapuze links

A	B	C	D	E	D	C	B	A
Friction >	>>	8A, CREME  1x Nm 6 + 1x Nm 22   Fluid + Harrison   40% CO, 30% LI, 30% PC + 52% WV, 28% PA, 20% LI   Igea + BE.MI.VA.			8			
					7			7A, CREME  1x Nm 6 + 1x Nm 22   Fluid + Harrison   40% CO, 30% LI, 30% PC + 52% WV, 28% PA, 20% LI   Igea + BE.MI.VA.
					6			6A  1x Elastan 420 dtex, PA 78/2 dtex   6350N   Elastic thread   67,5% PA, 32,5% EA   Zimmermann
					5			5A, NAVY  1x Nm 3   Dorothy   52% WP, 20% WV, 28% PA   BE.MI.VA.
	>	4A, NAVY  1x Nm 3   Dorothy   52% WP, 20% WV, 28% PA   BE.MI.VA.			4			
	>	3A  1x   Protection thread   -			3			
	>	2A  1x   Comb thread   -			2			2B  1x   Protection thread   -
	>	1A  1x   Draw separation thread   -			1			

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Normal-ADF



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.



Plating\_w\_2->1



Plating\_w\_2->2