

Pattern No.: 0610320 - Yarn Quality Kragen

A	B	C	D	E	D	C	B	A
						8A - Protection thread -	<	
	>	7A - Protection thread -						
						4B, ROT 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci	< 6	
	>	2A - Comb thread -				2B 3x 30/2 Nm Cashwool 100% WV Zegna Baruffa	<<<	Friction >
	>	1A - Draw separation thread -						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N














Plating_w_2->1



Plating_w_2->2

Pattern No.: 0610320 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A
				8				
	>	7A - Protection thread -						
	6 >	6A, ROT 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci		6		6B, BLAU 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci	< 6	
	6 >	5A, WEIß 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci		5		5B, WEIß 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci	< 6	
	6 >	4A, BLAU 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci		4		4B, ROT 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci	< 6	
				3		3A, HELLBLAU 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci	< 6	
	>	2A - Comb thread -		2		2B 3x 30/2 Nm Cashwool 100% WV Zegna Baruffa	<<<	Friction >
	>	1A - Draw separation thread -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N














Plating_w_2->1



Plating_w_2->2

Pattern No.: 0610320 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A
				8				
	>	7A - Protection thread -						
	6 >	6A, ROT 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci		6		6B, BLAU 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci	< 6	
	6 >	5A, WEIß 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci		5		5B, WEIß 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci	< 6	
	6 >	4A, BLAU 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci		4		4B, ROT 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci	< 6	
				3		3A, HELLBLAU 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci	< 6	
	>	2A - Comb thread -		2		2B 3x 30/2 Nm Cashwool 100% WV Zegna Baruffa	<<<	Friction >
	>	1A - Draw separation thread -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N












Plating_w_2->1



Plating_w_2->2

Pattern No.: 0610320 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A
				8				
	>	7A - Protection thread -						
	6 >	6A, ROT 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci		6		6B, BLAU 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci	< 6	
	6 >	5A, WEIß 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci			5			
	6 >	4A, BLAU 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci		4		4B, ROT 6x 14,5/1 Nm Dedalo 35% PA, 33% WM, 25% PC, 7% WO Filpucci	< 6	
				3				
	>	2A - Comb thread -		2		2B 3x 30/2 Nm Cashwool 100% WV Zegna Baruffa	<<<	Friction >
	>	1A - Draw separation thread -			1			

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2