















Pattern No.: 0910258 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A 1x Nm 48/2 Residual yarn -	<	Friction <
				7				7A 1x Nm 48/2 Residual yarn -	<	Friction <
				6						
				5				5A 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller	<	Friction <
				4				4A 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller	<	Friction <
				3				3A 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller	<	Friction <
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track









Pattern No.: 0910258 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A 1x Nm 48/2 Residual yarn -	<	Friction <
				7						
				6						
				5				5A 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller	<	Friction <
				4				4A 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller	<	Friction <
				3				3A 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller	<	Friction <
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0910258 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A		
				8				8A 1x Nm 48/2 Residual yarn -	<	Friction <
				7						
				6						
				5				5A 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller	<	Friction <
				4				4A 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller	<	Friction <
				3				3A 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller	<	Friction <
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0910258

Other Requirements:

Aufholspanner auf 3 Bremsen zu
Faden in Fournisseur über obere Fadenführung !!
