
















Pattern No.: 1010096 - Yarn Quality Kapuze(n)

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
				6						
				5				5A, OLD ROSE 1x Nm80/2 Diomedè 90% RN, 10% WS Best Shan	<	Friction <
				4						
				3				3A, CLEAR WHITE 1x Nm80/2 Diomedè 90% RN, 10% WS Best Shan	<	Friction <
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track










Pattern No.: 1010096 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A
Friction >	>	8A - Residual yarn -		8		8B - Residual yarn -	<	Friction <
Friction >	>	7A, OLD ROSE 1x Nm80/2 Diomedè 90% RN, 10% WS Best Shan		7				
				6		6A, WHITE 1x 40Nden LL-40 ESIDA -	<	
				5		5A, OLD ROSE 1x Nm80/2 Diomedè 90% RN, 10% WS Best Shan	<	Friction <
Friction >	>	4A, CLEAR WHITE 1x Nm80/2 Diomedè 90% RN, 10% WS Best Shan		4		4B, OLD ROSE 1x Nm80/2 Diomedè 90% RN, 10% WS Best Shan	<	Friction <
				3		3A, CLEAR WHITE 1x Nm80/2 Diomedè 90% RN, 10% WS Best Shan	<	Friction <
	>	2A - Comb thread -		2				
	>	1A - Draw separation thread -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track










Pattern No.: 1010096 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
				6				6A, WHITE 1x 40Nden LL-40 ESIDA -	<	
				5				5A, OLD ROSE 1x Nm80/2 Diomedè 90% RN, 10% WS Best Shan	<	Friction <
				4				4A, OLD ROSE 1x Nm80/2 Diomedè 90% RN, 10% WS Best Shan	<	Friction <
				3				3A, CLEAR WHITE 1x Nm80/2 Diomedè 90% RN, 10% WS Best Shan	<	Friction <
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 1010096 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
				6				6A, WHITE 1x 40Nden LL-40 ESIDA -	<	
				5				5A, OLD ROSE 1x Nm80/2 Diomedè 90% RN, 10% WS Best Shan	<	Friction <
				4				4A, OLD ROSE 1x Nm80/2 Diomedè 90% RN, 10% WS Best Shan	<	Friction <
				3				3A, CLEAR WHITE 1x Nm80/2 Diomedè 90% RN, 10% WS Best Shan	<	Friction <
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

