







Pattern No.: 1010222 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A
						8A - Residual yarn -	<	
	>	7A - Residual yarn -						
Friction >	>	6A 1x Nm 48/2 Cashwool 100% WV Zegna Baruffa						
						3A 1x Nm 48/2 Cashwool 100% WV Zegna Baruffa	<	Friction <
Friction >	>	2A - Comb thread -				2B - Residual yarn -	<	
	>	1A - Draw separation thread -						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track








Pattern No.: 1010222 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A
				8				
	>	7A - Residual yarn -						
				6				
				5			5A 1x Nm 48/2 Cashwool 100% WV Zegna Baruffa	< Friction <
				4			4A 1x Nm 48/2 Cashwool 100% WV Zegna Baruffa	< Friction <
				3			3A 1x Nm 48/2 Cashwool 100% WV Zegna Baruffa	< Friction <
Friction >	>	2A - Comb thread -						
	>	1A - Draw separation thread -						








A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 1010222 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A
				8				
				7				
				6				
				5				
				4		4A 1x Nm 48/2 Cashwool 100% WV Zegna Baruffa	<	Friction <
				3		3A 1x Nm 48/2 Cashwool 100% WV Zegna Baruffa	<	Friction <
Friction >	>	2A - Comb thread -		2		2B - Residual yarn -	<	
	>	1A - Draw separation thread -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 1010222

Other Requirements:

MC-operating system version: setup2

MC-Betriebssystem-Version: Setup2
