












Pattern No.: 0610264 - Yarn Quality Zutaten

A	B	C	D	E	D	C	B	A
				8		8A - Residual yarn -	<	
				7				
				6				
				5				
				4				
				3				
	>	2A - Comb thread -		2				
				1		1A, BLUE 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning	<	Friction <


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

-  Normal
-  Intarsia type 1
-  Intarsia type 2
-  Plating Yf. N
-  Double-Arm Plating Yf.
-  Plating_w_2->1
-  Plating_w_2->2






Pattern No.: 0610264 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	
				7				7A, ORANGE 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning	<	Friction <
				6				6A, GREEN 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning	<	Friction <
				5				5A, BLUE 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning	<	Friction <
Friction >	>	4A, BLUE 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning		4				4B, ORANGE 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning	<	Friction <
Friction >	>	3A, GREEN 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning		3				3B, GREEN 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning	<	Friction <
	>	2A - Comb thread -		2						
Friction >	>	1A, ORANGE 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning		1				1B, BLUE 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning	<	Friction <


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track








Pattern No.: 0610264 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	
				7						
				6						
				5						
				4				4A, ORANGE 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning	<	Friction <
				3				3A, GREEN 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning	<	Friction <
	>	2A - Comb thread -		2						
				1				1A, BLUE 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning	<	Friction <

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0610264 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	
				7						
				6						
				5				5A, BLUE 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning	<	Friction <
Friction >	>	4A, BLUE 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning		4						
				3				3A, GREEN 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning	<	Friction <
	>	2A - Comb thread -		2						
				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

