


















**Pattern No.: 0810263 - Yarn Quality Zutaten**

A	B	C	D	E	D	C	B	A		
				8				8A  -   Residual yarn   -	<	
				7						
				6						
				5						
				4				4A  2x Nm 14/6   Solaris   66% SE, 34% WS   TODD&DUNCAN	<<	Friction <
				3				3A  1x Nm 14/6   Solaris   66% SE, 34% WS   TODD&DUNCAN	<	Friction <
	>	2A  -   Comb thread   -		2						
				1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

-  Normal
-  Intarsia type 1
-  Intarsia type 2
-  Plating Yf. N
-  Double-Arm Plating Yf.
-  Plating\_w\_2->1
-  Plating\_w\_2->2





**Pattern No.: 0810263 - Yarn Quality Leibteil(e)**

A	B	C	D	E	D	C	B	A
				8				8A  -   Residual yarn   -
				7				
Friction >	>	6A  1x Nm 14/6   Solaris   66% SE, 34% WS   TODD&DUNCAN		6				
				5				
				4				4A  1x Nm 14/6   Solaris   66% SE, 34% WS   TODD&DUNCAN
				3				3A  1x Nm 14/6   Solaris   66% SE, 34% WS   TODD&DUNCAN
	>	2A  -   Comb thread   -		2				
	>	1A  -   Draw separation thread   -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



**Pattern No.: 0810263 - Yarn Quality Ärmel**

A	B	C	D	E	D	C	B	A		
				8				8A  -   Residual yarn   -	<	
				7						
				6						
				5						
				4						
				3				3A  1x Nm 14/6   Solaris   66% SE, 34% WS   TODD&DUNCAN	<	Friction <
	>	2A  -   Comb thread   -		2						
	>	1A  -   Draw separation thread   -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

