











**Pattern No.: 1910001 - Yarn Quality Strickteil(e)**

A	B	C	D	E	D	C	B	A
				16			16A  1x Nm 32/2   Protection thread	V
				15			15A, GREY 250  1x dtex 150 f48   Lustle Yarn   100% PES   Kyoritsu	V
				14				
				13				
				12			12A, CLARET 820E  1x dtex 200   Rigido   100% PL FR   Trendfil	V
				11				
				10				
				9			9A, BLACK  1x dtex 167 f34   Grilon KE-60   CO-POLYESTER   EMS-Griltech	V
				8			8A, SILVER 2486  1x Nm 23   Strass   88% PC, 6% PES, 6% PA   Igea	V

V	7A, WHITE  1x dtex 950   Art. E071   68% PA, 32% EA   CBA Arduini		7		7B, WHITE  1x dtex 950   Art. E071   68% PA, 32% EA   CBA Arduini	V
			6			
V	5A, GREY 250  1x dtex 150 f48   Lustle Yarn   100% PES   Kyoritsu		5		5B, GREY 250  1x dtex 150 f48   Lustle Yarn   100% PES   Kyoritsu	V
			4			
			3			
			2			
V	1A  1x   Draw separation thread   -		1			

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Normal-ADF



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.



Plating\_w\_2->1



Plating\_w\_2->2

**Pattern No.: 1910001**

**Other Requirements:**

PLEASE NOTE RS5 CAN BE USED AS  
AN ST COUNTER (TO KNIT MANY  
PIECES WITHOUT DROPPING DOWN)

---