











Pattern No.: 0610516 - Yarn Quality Zutaten

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
				6						
				5						
				4				4A, BRIGHT WHITE 2x Nm 30 C3688 53% VI, 47% CO Hotta	<<	Friction <
				3						
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track





Pattern No.: 0610516 - Yarn Quality Leibteil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
Friction >	>>	6A, LIMA BEAN 2x Nm 30 C3688 53% VI, 47% CO Hotta		6						
Friction >	>>	5A, BRIGHT WHITE 2x Nm 30 C3688 53% VI, 47% CO Hotta		5						
				4				4A, LIMA BEAN 2x Nm 30 C3688 53% VI, 47% CO Hotta	<<	Friction <
				3				3A, BRIGHT WHITE 2x Nm 30 C3688 53% VI, 47% CO Hotta	<<	Friction <
	>	2A - Comb thread -		2						
				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0610516 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
				6						
				5						
				4				4A, LIMA BEAN 2x Nm 30 C3688 53% VI, 47% CO Hotta	<<	Friction <
				3				3A, BRIGHT WHITE 2x Nm 30 C3688 53% VI, 47% CO Hotta	<<	Friction <
	>	2A - Comb thread -		2						
				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

