








Pattern No.: 0610056 - Yarn Quality Front(s)

A	B	C	D	E	D	C	B	A
				8				
				7 		7A 2x 28/2 Nm Ocean 50% CO, 50% PC TVU	<<	Friction <
Friction >	>>	6A 2x 28/2 Nm Ocean 50% CO, 50% PC TVU		6 				
Friction >	>>	5A 2x 28/2 Nm Ocean 50% CO, 50% PC TVU		5 				
				4 		4A 2x 28/2 Nm Ocean 50% CO, 50% PC TVU	<<	Friction <
				3 		3A 2x 28/2 Nm Ocean 50% CO, 50% PC TVU	<<	Friction <
	>	2A 1x Comb thread -		2 				
	>	1A 1x Draw separation thread -		1 				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N









Plating_w_2->1



Plating_w_2->2

Pattern No.: 0610056 - Yarn Quality Back(s)

A	B	C	D	E	D	C	B	A
				8				
				7				
Friction >	>>	6A 2x 28/2 Nm Ocean 50% CO, 50% PC TVU			6			
Friction >	>>	5A 2x 28/2 Nm Ocean 50% CO, 50% PC TVU			5			
				4			4A 2x 28/2 Nm Ocean 50% CO, 50% PC TVU	<< Friction <
				3			3A 2x 28/2 Nm Ocean 50% CO, 50% PC TVU	<< Friction <
	>	2A 1x Comb thread -			2			
	>	1A 1x Draw separation thread -			1			

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2