





















**Pattern No.: 0510196 - Yarn Quality Zutaten**

A	B	C	D	E	D	C	B	A
				8		8A  -   Residual yarn   -	<	Friction <
				7				
				6				
				5				
				4		4A, WHITE  1x 48/2 Nm   SRT-2406   65% VI, 35% PES   SVACO	<	Friction <
				3				
	>	2A  -   Comb thread   -		2				
				1				


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

-  Normal
-  Intarsia type 1
-  Intarsia type 2
-  Plating Yf. N
-  Double-Arm Plating Yf.
-  Plating\_w\_2->1
-  Plating\_w\_2->2





**Pattern No.: 0510196 - Yarn Quality V-Teil(e)**

A	B	C	D	E	D	C	B	A
Friction >	>	8A, WHITE  1x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco		8		8B  -   Residual yarn   -	<	Friction <
Friction >	>	7A  -   Residual yarn   -		7		7B, WHITE  1x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco	<	Friction <
Friction >	>	6A, LIGHT SAND BROWN  1x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco		6				
				5		5A, LIGHT SAND BROWN  1x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco	<	Friction <
				4		4A, WHITE  1x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco	<	Friction <
Friction >	>	3A, WHITE  1x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco		3				
	>	2A  -   Comb thread   -		2				
				1		1A, WHITE  1x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco	<	Friction <


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track






**Pattern No.: 0510196 - Yarn Quality R-Teil(e)**

A	B	C	D	E	D	C	B	A		
				8				8A  -   Residual yarn   -	<	Friction <
				7						
				6						
				5						
				4				4A, WHITE  1x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco	<	Friction <
Friction >	>	3A, WHITE  1x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco		3						
	>	2A  -   Comb thread   -		2						
				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



**Pattern No.: 0510196 - Yarn Quality Ärmel**

A	B	C	D	E	D	C	B	A
				8		8A  -   Residual yarn   -	<	Friction <
				7				
				6				
				5				
				4		4A, WHITE  1x 48/2 Nm   SRT-2406   65% VI, 35% PES   Svaco	<	Friction <
				3				
	>	2A  -   Comb thread   -		2				
				1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

