




Pattern No.: 0510355 - Yarn Quality Kragen

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
				6						
				5						
				4						
				3				3A, BLUE NIGHT 2x 48/2 Nm Victoria 100% WV Zhangjiagang Yangtse Spinning	<<	Friction <
	>	2A - Comb thread -		2						
				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N







Plating_w_2->1



Plating_w_2->2

Pattern No.: 0510355 - Yarn Quality V-Teil(e) links

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
				6				6A, WHITE 2x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù	<<	Friction <
				5						
				4				4A, BLUE NIGHT 3x 48/2 Nm Victoria 100% WV Zhangjiagang Yangtse Spinning	<<<	Friction <
				3						
	>	2A - Comb thread -		2						
				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N








Plating_w_2->1



Plating_w_2->2

Pattern No.: 0510355 - Yarn Quality V-Teil(e) rechts

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7				7A, WHITE 2x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù	<<	Friction <
				6				6A, WHITE 2x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù	<<	Friction <
				5						
				4				4A, BLUE NIGHT 3x 48/2 Nm Victoria 100% WV Zhangjiagang Yangtse Spinning	<<<	Friction <
				3						
	>	2A - Comb thread -		2						
				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N









Plating_w_2->1



Plating_w_2->2

Pattern No.: 0510355 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
Friction >	>>	7A, WHITE 2x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù		7						
				6				6A, WHITE 2x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù	<<	Friction <
				5						
				4				4A, BLUE NIGHT 3x 48/2 Nm Victoria 100% WV Zhangjiagang Yangtse Spinning	<<<	Friction <
Friction >	>>>	3A, BLUE NIGHT 3x 48/2 Nm Victoria 100% WV Zhangjiagang Yangtse Spinning		3						
	>	2A - Comb thread -		2						
				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N











Plating_w_2->1



Plating_w_2->2

Pattern No.: 0510355 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
Friction >	>>	7A, WHITE 2x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù		7						
				6				6A, WHITE 2x 22/1 Nm Camelot 44% WM, 37% WA, 19% WV Lineapiù	<<	Friction <
Friction >	>>	5A, BLUE NIGHT 2x 48/2 Nm Victoria 100% WV Zhangjiagang Yangtse Spinning		5						
				4				4A, BLUE NIGHT 3x 48/2 Nm Victoria 100% WV Zhangjiagang Yangtse Spinning	<<<	Friction <
Friction >	>>>	3A, BLUE NIGHT 3x 48/2 Nm Victoria 100% WV Zhangjiagang Yangtse Spinning		3						
	>	2A - Comb thread -		2						
Friction >	>>	1A, BLUE NIGHT 2x 48/2 Nm Victoria 100% WV Zhangjiagang Yangtse Spinning		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2