








Pattern No.: 0610536 - Yarn Quality Zutaten

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	
				7						
				6						
				5						
				4				4A, BRIGHT WHITE 2x Nm 24 G714 65% VI, 35% PA Guoyue	<<	Friction <
				3						
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track









Pattern No.: 0610536 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	
	>	7A - Residual yarn -		7						
Friction >	>>	6A, LIMA BEAN 2x Nm 24 G714 65% VI, 35% PA Guoyue		6						
				5				5A, LIMA BEAN 2x Nm 24 G714 65% VI, 35% PA Guoyue	<<	Friction <
				4				4A, BRIGHT WHITE 2x Nm 24 G714 65% VI, 35% PA Guoyue	<<	Friction <
				3						
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0610536 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	
	>	7A - Residual yarn -		7						
Friction >	>>	6A, LIMA BEAN 2x Nm 24 G714 65% VI, 35% PA Guoyue		6						
				5				5A, LIMA BEAN 2x Nm 24 G714 65% VI, 35% PA Guoyue	<<	Friction <
				4						
				3						
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

